# American FRUIT GROWER



# GRAMLING SWITCHED TO REYNOLDS ....

"I changed to Portable Sprinkler Irrigation using Reynolds Aluminum pipe and got . . .

# MORE INCOME PER ACRE!!!

says HENRY GRAMLING, nationally-know peach grower of Gramling, S. Carolina



Don't just take our word for it. Let successful growers themselves tell you how they increased yields, improved size, color and quality of fruit.

On Page 10 of this issue in "My Experience with Sprinkler Irrigation" Henry Gramling tells how he irrigates 150 acres of peaches. He is using a sprinkler system that includes Reynolds Aluminum pipe -12.000 feet in all.

In this article, Gramling says, "We have used sprinkler irrigation on peaches and seen crops saved or the value of a few acres increased thousands of dollars where it was used."

Other successful users of Reynolds Aluminum pipe are mentioned in "Florida turns to Sprinkler Irrigation" on Page 13. And for timely advice, turn to "Should you plan for Irrigation Shortages?" Page 12.

Revnolds Aluminum Irrigation Pipe is lightweight one man can carry two 20-foot sections. Growers with installations of 10 acres or less cut operating costs up to 75% the first year...eliminating the hiring of two or more men for the job. Savings in manpower using Reynolds Aluminum pipe averaged 50% nationwide!

There are other advantages for extra profit in Reynolds pipe . . . perfectly round for fast, easy coupling, smooth walls for easy flow. High strength aluminum alloy assures long life and rugged durability.

SEND COUPON TODAY for the FREE illustrated booklet "More Income Per Acre." Better still, check the dealer who handles Reynolds Aluminum Irrigation Pipe in your community for specific requirements of systems designed to meet local conditions.

# REYNOLDS METALS COMPANY,

2574 South Third Street, Louisville 1, Kentucky

Please send your new illustrated booklet "Mare Income Per Acre" on the application and advantages of portable sprinkler irrigation.

R.F.D. or Street.



# REYNOLDS ALUMINUM

**Lightweight Aluminum Pipe** for Portable Sprinkler Irrigation Systems




Control Mites in Fewer Sprays

with

# **DU PONT EPN 300**

Insecticide





Effective clean-up. EPN 300 produces prompt results so you get relatively quick control of mites on apples, pears, peaches and other stone fruits, and nuts.

Long-lasting control. Residual action of EPN 300 is good. Thus you need fewer sprays to keep mites down.



Recommended for peer psylla, EPN 300 also shows excellent results against plum curculio, redbanded leaf roller and Oriental fruit moth.

Compatible. EPN 300 mixes readily with most other post-control chemicals, and with "NuGreen" nitrogen fertilizer.

See your dealer for EPN 300 Insecticide and for other Du Pont pest-control products. Ask him for free booklets, too, or write Du Pont, Grasselli Chemicals Dept., Wilmington 98, Delaware.

# DU PONT EPN 300

DU PONT CHEMICALS POR THE FARM INCLUDE: 
fragicides: PAZZATE, Elleyeld and Dryl, PERMATE, EZRATE, 
Copper-A [Fine Copper), SULFORON'S and SULFORON'S. 
Wettable Selver... Insecticides: DEFANTE' DDT, MARLATE
Methacydier. LECONI® Beannes Nessochistick, RIBSHTE' DEI
Methacydier. LECONI® Beannes Nessochistick, RIBSHTE' DATA
Methacydier. LECONI® Beannes Nessochistick, RIBSHTE' DATA
Methacydier. LECONI® Beannes Nessochistick, RIBSHTE' DATA
Methacydier. LECONI® Destrict Nessochistick
Methacydier. LECONI® Dest

Listen to Du Pont "CAVALCADE OF AMERICA"— Tuesday Nights—NBC Coast to Coast



# NEWS IN BRIEF

Up to 74% more scab-free truly is the report from New York State apple orchards where "Fermate" fungicide proved itself far bette than sulfur for scab control and fruit yield. "Fermate" controlled scab without injury to foliage, ever in the hottost weather.

With peaches, "Zerlate" controls brown rot and keeps off the Japanese beetles at the same time. "Zerlate". has proved to be consistently excellent for control of brown rot and leaf spots on cherries, plums and peaches.

Lest year's experience of grape growers again showed how superior "Fermate" is for control of black rot. Some of the highest yields and highset sugar content were reported from vineyards where it was used regularly.


For chervies, early apples and other calls harvested fruit, DuPont"Mariate methorychlor insociacide in highly recommended. It gives axosly fruit worm, plum caucalio, spid fast weevil, codling moth, Oriente fruit worm, plum caucalio, spid fast weevil, codling moth, Oriente fruit moth and Japanase beatle. And it can be used close to harvest be cause the residue stays effective against insects, yet it is not hazard out to people who eat the fruit.

"Meriete" is ideal for control of insects on vegetables, too: cucumber beetle, Mexican bean beotle, tomate worm, corn earworm, leaf-hoppers, fise beetle, cabbage worms, loopes and others. Moreover, "Mariate" is mild on the foliage, and even on sonsitive cucupits, and residues of it are not becentions to merche



Independent tests prove that fruits packaged in transparent bags outsell both bulk and mesh-bagged. Snap-Sacks are tough, clear Pliafilm\* bags with a circular elastic top opening. The glossy transparency of the bag makes contents more attractive . . . colorful printing provides brand identity. They're economical, too . . . can be automatically filled and cost less than "the next best bag."

Contact your nearest Shellmar representative, or write for samples and prices.





\*T.M.G.T. & R. CO.







Ventilation is provided by the elastic top—never completely closed. Filled SNAP-SACKS carry well . . . damaged fruit is easily replaced. Popular for reuse as refrigerator bags.

# Shellmar Products Corporation

MT. VERNON, GOID
Flants: Mt. Vernon and Zanesville, Ohio \* Seath
Gate, Calif. \* Maxico City \* Medallin, Colombia
Sao Paulo, Brazil

JUNE VOL. 71 1951 No. 6

# CONTENTS

Letters to the Editor	6
Sprinklers for Berries By Wesley P. Judkins	9
My Experiences with Sprinkler Irrigation	.10
Should You Plan for Irrigation Shortages?	.12
Florida Turns to Sprinkler Irrigation By A. T. Race, Jr.	13
New Harvest Spray By M. B. Hoffman and L. J. Edgerton	.14
State News	15
Pest Control Handbook	15
Washington Fruit Letter	16
The Question Box	17
The Orchard Home	28
Calendar of Coming Events	36
Editorial Page	.38

# AMERICAN FRUIT GROWER

Published Monthly by AMERICAN FRUIT GROWER PUBLISHING CO. 106 Euclid Ave., Willoughby, Ohio

E. G. K. MEISTER Publisher

Editorial Staff
R. T. MEISTER H. S. TUKEY
E. K. GOULD . ELDON S. BANTA
M. A. FRAZIER

Washington Correspondent LARSTON D. FARRAR Advertising Manager EDWARD L. MEISTER

BRANCH OFFICES AND REPRESENTATIVES
NEW YORK CITY, Richard Whiteman, 347 Medicon
Ave. Fhone—Lexington 2-349
CHICAGO, Pect and Billingsiee, Inc., 185 No.
Wabash. Phone—Central 4-0465
SAN FRANCISCO, McDenald-Thompson, 425 Market
S.AN FRANCISCO, McDenald-Thompson, 5277 West 4th
S.AN FRANCISCO, McDenald-Thompson, 5277 West 4th
S.ANGELES, McDonald-Thompson, 1777 West 4th
S. Phone—Dunkir 7-3519
SEATILE, McDonald-Thompson, 1168 Odeans Dr.
Phone—Winfield 4911
PORTLAND, McDonald-Thompson, 115 S.W. 4th Ave.
Phone—Minia 2731
DENVER, McDonald-Thompson, 117 Railway Exchange
Bildg. Phone—Main 2731

SUBSCRIPTION RATES

Domestic, 3 years \$2.20. I year \$1.00. Single copy
10c. Canada and foreign \$1.50 per year.

CHANGE OF ADDRESS

Please neitify us if you change your address,
giving us the old address as well as your new one.

PRINTED IN, USA



# **Protection Without Injury**

BLACK LEAF® 155 is the reliable, dependable, "fixed" nicotine insecticide. Used as a spray, it destroys mature eggs, hatching larvae and adult codling moths; also grape berry moth, leafhoppers, aphids, newly-hatched bud moth larvae, leaf-miners, pear psylla, and citrus thrips.

Black Leaf 155 provides long-lasting protection without injury to the tree, fruit or foliage. It permits leaves to function normally, thus producing a better crop of fruit with superior color and finish.

As it dries, Black Leaf 155 leaves an adhesive film, resistant to driving rains. Insects, crawling to feeding places, pick up the adhesive particles on their body surfaces and are destroyed by the nicotine in Black Leaf 155.

For efficient protection, without injury to tree, fruit or foliage, spray with Black Leaf 155. Directions on every package. Write for further information.

Tobacco By-Products & Chemical Corporation • Richmond, Virginia

The BLACK LEAF family includes: Black Leaf 40 ... Black Leaf 155... Black Leaf 50% DDT... Black Leaf 15% and 25% Parathion (Dustless)... and, Black Leaf Vapo-Fume® 40 (Tetraethyl Pyrophosphate).

Always look for the Black Leaf brand when you buy sprays or dusts!



41/2 TANK CARS OF WATER ON YOUR ACREAGE



THAT'S THE AMAZING **ECONOMY OF THE BARNES** "33,000 for 1" Pumps

Not 1,000! Not 10,000! But 33,000 galions of water pumped for 1 gal-lon of gas used! That equals 41/8 tank cars of water. That's what Barnes "33,000 for 1" pump will do in your irrigation.

You will like these pumps. Built to "put out" and keep on working. Lightning-fast self priming — once primed, always ready to go! Heavy-duty body for longer life. Special superseal prevents air and water leaks - keeps pump at top efficiency. Capacities up to 96,000 G.P.H. Discharge pressure up to 60 P.S.I. Ask your dealer for a demonstration.



# THE BARNES SENSATION (30M) 4-IN, SUCTION AND DISCHARGE

Ideal pump for volume irrigation. Delivers 24,000 gallons per hour at 40 lbs. discharge pressure. Complete line includes pumps with capacities ranging from 5,000 to 96,000 gallons

Send	ARNES MFG. CO Attention Mr. S. W. Meehen, Mansfield, Ohio. Please send me full details or Barnes Pumps for Irrigation.
detells	(Name)
complete Sernes	(Address or Rural Route)
	(City and State)

BUY THE BEST . . . BUY BARNES

# LETTERS TO THE EDITOR

# Strawberry Yield Records

Dear Editor

In your March issue, you asked for re-ports on strawberry yields over 10,000 quarts. W. F. Allen, Salisbury, Md., gath-ered and sold 33,360 quarts of Catskill strawberries from a patch measuring exactly three acres.

I think the greatest yield per acre came from the Willamette Valley, Oregon, where the county agricultural agent at Salem made affidavit that he had supervised the gathering of one acre of the Washington variety, and from this one acre 43,260 onepound boxes of strawberries were gathered. A one-pound box equals almost one quart. Farmington, Mo. E. Longenecker

Gaines Ivans, Spencer, Tenn, had a yield of 10,368 quarts. This was checked by G. T. Byrd of the University of Tennessee and by County Agent Arley Hamby, Spencer, Tenn. The variety was the Ten-nessee Beauty.

In regards to the article "Fruit Talk." in the March issue, we are happy to have the privilege of furnishing George Delbard with nine varieties of our strawberry plants.

Dayton, Tenn.

M. E. Romines

Salem, Oregon, wins the prize for having the greatest strawberry yields. At a pound and one-half per quart, Salem's record yield would be 28,440 quarts per acre, enough to make any strawberry picher's back ache. Houveer, the biggest story in strawberry yields is to be told from California where the introduction of new everbearing varieties has jumped yields tremendously—as high as 20 tons an acre, it is reported. As a result, California's strawberry production topped Oregon's for the first time last season—Ed. first time last season.-Ed.

Dear Editor:

My backyard strawberry plot, planted in 1949 in rows 40 inches apart, produced as

	Lineal feet		Rate per
Variety	of row	Quarts	acre
Premier	214	115	7,026
*Catskill	180	129	9,365
Nectarena	165	134	10,613

After July 5, the raspberries came on, and I left the balance of the strawberries to my neighbors. The total pick would have been well over the rate of 11,000 quarts for Nectarena and 10,000 for Catskill. Dearborn, Mich. B. I.

# Safety Tip

Dear Sir:

Here is a safety tip for fruit growers while spraying from the top of a sprayer

while spraying from the top of a sprayer mounted on a truck chassis. We cover the top of our sprayer with wire lath, and the problem of slipping is solved, especially while spraying with oil. Mt. Vernon, Ohio

# Weather Chart

I have found the Weather and Compati-bility Charts most helpful, and I would like to obtain two more copies of the Weather Chart in color. Will you please let me know whether this chart is available on heavy paper, as is the Compatibility Chart, and at what price?

The Fruit Pest Handbook is an excellent feature, and I am wondering whether you know of any source of color charts of these and other fruit pests. As a commercial spray man, working with agricultural pest control, I am interested in obtaining such color charts for use in field work. Felton, Calif. Charles A Wood

Reprints of the Weather Chart, which shows the effect of five weather conditions on sprays and dusts, are now available and may be obtained by sending 10 cents in coin or stamps to AMERICAN FRUIT

Judging by the response from our readers, the Fruit Pest Handbook series is fulfilling a real need for insect identification and control information. Color illustrations of fruit insects would be excellent, but we have yet to find color photos of this kind.

—Ed.

# More Grafts

Dear Editor:

It was interesting to read Clara Bell's

It was interesting to read Clara Bell's account of the number of apple varieties grafted on one tree by Mr. Weineke of Illinois, but we can go that one better.

I wonder just how jittery the editor would get pruning our "blood bank" apple tree (my husband's pride and joy) which has about 100 grafts of various apple varieties, many of them old-time varieties which my husband collects. Alameda, Calif. Mrs. C. Morgan

# Sheep and Deer

Dear Editor:

Referring to the "Letters to the Editor" column, I believe the reason deer do not graze where sheep are is not because the sheep graze so close, but because the deer dislike the sheep odor. My people were cat-tle men in western Texas at the time sheep were brought into that part of the country.

They found that cattle, like deer, would not graze or drink where the sheep did, except when forced to do so. Fort Worth, Tex. W. W. Barber

# Planting Chestnuts

Dear Sir:

The "Question Box" in the April, 1951, issue carried an answer concerning the Chinese chestnut which I believe is in error and may lead to some loss of nuts.

I refer specifically to the recommendation that the nuts be placed in a "closed" con-tainer for two or three weeks after harvest and before planting. Freshly harvested Chinese chestnuts placed in a closed container at ordinary air temperatures will

It is desirable either to plant them immediately after harvest (at two or threeday intervals) or place them in closed con-tainers with at least one hole in the container for ventilation and hold them in cold storage at 33° to 45° F. until planting. Fifty-pound lard cans make fine storage

I also disagree with the statement that the trees should be left in the nursery row for two years as "one-year-old trees do not transplant well." Our farm sells one-yearold trees by the thousands and all reports we have had indicate that a very high percentage of the trees live. Leesburg, Ga. Max B. Hardy

AMERICAN FRUIT GROWER



An important new product for the orchardist, Color-Set 1004° is the result of extensive testing on many apple varieties by several state experiment stations. You can rely on Color-Set 1004 to keep apples "tied" to the trees until they reach top size, color and quality—as you depend on Dow's complete line of orchard protection materials to do specific jobs well and to work effectively together.

- Color-Set 1004 simplifies preharvest apple drop control because timing is not as critical as with 1-naphthalene acetic acid formulations. You can apply it earlier and get the benefit of its effectiveness over a longer period of time.
- Color-Set 1004 is effective on all varieties of apples tested to date. It contains a salt of 2,4,5-trichlorophenoxypropionic acid as the active ingredient.
- The 1950 experiments showed that Color-Set 1004 was effective in improving the color of apples. Extensive trials will be undertaken this season.

Color-Set 1004 has been developed by Dow and is the first real improvement in preharvest drop control since 1-naphthalene acetic acid was introduced. We invite growers to compare performance of Color-Set 1004 with any material which they have been using for drop control. For further information write Dept. AG-169 in Middland stating the name of your nearest Agricultural Chemical dealer.

\*\*Color-Set 1004 is a treate ment of The Dow Chemical Company

# COLOR-SET 1004

(developed under the experimental number A-1004)

THE DOW CHEMICAL COMPANY . MIDLAND, MICHIGAN

USE DEPENDABLE DOW AGRICULTURAL CHEMICAL PRODUCTS

FUNCICIDES + PLANT GROWTH REGULATORS.

GRAIN AND SOIL FUMIGANTS + WOOD PRESERVATIVE

Dow

CHEMICALS

AND AGRICULTURE

BEFORE

HAS IT BEEK

POSSIBLE TO KILL

SO MANY INSECTS

ON SO MANY GROPS

AS IT IS TODAY WITH

Write for a Grower's Handbook describing the many uses for parathion insecticide formulations

AVAILABLE FROM NATIONAL MANUFACTURERS.

AMERICAN Cyanamid COMPANY

Manufacturer of Thiophos Parathion Technical

Agricultural Chemicals Division
30 Rockefeller Plaza, New York 20, N. Y.

For Larger Yields and Greater Profits There's Nothing Like

# SPRINKLERS FOR BERRIES

By WESLEY P. JUDKINS Virginia Polytechnic Institute

ARGE YIELDS of high quality berries cannot be obtained unless the plants have adequate water. Rainfall during the summer in the eastern United States is frequently inadequate to keep plants growing in a healthy, vigorous condition. A little extra water applied at the right time by means of supplemental irrigation may mean the difference between a fine crop and a partial or complete failure.

Numerous experiments and many commercially irrigated berry plantings have demonstrated conclusively that irrigation will return handsome profits to the grower. An irrigated field of strawberries at the Ohio Experiment Station produced more than 5,500 quarts of berries per acre, whereas an unirrigated field produced slightly less than 3,000 quarts. A farmer in Rhea County, Tennessee, by means of irrigation increased the value of his strawberry crop by an average of over \$300 per acre in the late 1940's

Many other examples of increased yields and profits resulting from irrigation could be cited. The actual benefits which will be secured depend on the soil type upon which the planting is located and the amount and distribution of rainfall during


the growing season.

Most economic plants in the Temperate Zone require about one acreinch of water every seven to 10 days. The actual amount varies somewhat depending upon the plant population per acre and the vigor of growth. Water loss is, of course, greater during hot, dry weather than during cool, cloudy periods. In spite of these differences, however, the basic requirement of one acre-inch every week or 10 days is a good figure to bear in mind.

The soil type has an important bearing on the amount of reserve water it can hold and supply to the plants. Coarse, sandy soils have a low water-holding capacity whereas depth of rooting of the crop being

Strawberries, for example, have the bulk of their roots in the top foot of soil. A sandy loam could supply this crop with moisture for about seven to 10 days since this soil type has an available water-holding capacity of one acre-inch per acre foot.

If the strawberries were located on a silt loam soil which has an available water-holding capacity of one and one-half acre-inches per acre foot, the crop would grow satisfactorily for 10 to 15 days before additional irrigation or rainfall was needed.



A little extra water at the right time may mean the difference between a fine crop and a partial or complete failure. Shown above is a partially sprinkler system.

heavy clay soils hold a considerably larger amount. A table showing the approximate available water-holding capacity for different soil types is given to assist in more accurately determining how much irrigation water must be applied.

RELATION OF SOIL TYPE TO AVAILABLE WATER-HOLDING CAPACITY

Soil Type	Texture	Available Water per acre-foot
Sand Sandy loam Silt loam	Coarse Coarse-fine Fine	1.5 acre-inches

It is very easy to use this table in calculating how long the water in the soil will maintain the plants in a satisfactory stage of growth. The only additional information needed is a knowledge of the approximate These determinations are based on a soil which was well supplied with water at the beginning of the period in question.

In other words, a strawberry planting on a sandy loam soil will continue to make satisfactory growth for only seven to 10 days without rain or irrigation. Since there are frequently periods of several weeks without rain in the eastern United States, it is obvious that irrigation is very important if maximum yields are to be obtained.

The same table can be used to determine the irrigation needs of deeper rooted berry crops like raspberries. In a favorable soil, raspberries will root at least two feet deep and will often penetrate to a

(Continued on page 18)

MY EXPERIENCES WITH SPRINKLER IRRIGATION

A survey of changes growers would make if they could do the job over again.

THERE are many lessons to be learned from the experiences of growers with sprinkler irrigation systems. To record these experiences so they might serve as a guide to others, AMERICAN FRUIT GROWER asked 13 growers who pioneered with different kinds and types of pipe, pumps, motors, sprinkler heads, and risers, "What changes would you make if you could do it over again?" Frequently mentioned by those who started with heavy pipe was a change to lightweight aluminum pipe. High on the list, also, were the use of main lines of sufficient size to avoid friction losses and the possibilities of having farm ponds for water supply. But let Arnold Ulrich of the Ulrich Fruit Farm, Rochester, Minn., tell his thinking on that score.

"I question whether we would drill a well again," he says. "I am con-vinced that we could have put a dam across a valley on our farm and stored millions of gallons of water from a

20-acre watershed area.'

Ulrich has had 15 years of experience with overhead sprinkler irrigation. His present water supply is a 500-foot well capable of delivering 200 gallons per minute (g.p.m.). The pump is a Myers plunger type rated at 100 g.p.m. and powered with a 30 h.p. Wisconsin air-cooled engine. Ulrich is proud of this pump for it has yet to be pulled or repaired in any

He uses March overhead pipe together with aluminum pipe and sprinklers for 10 acres of strawberries and raspberries. Moulton jiffy-type couplers join the aluminum pipe on which risers, with Rainbird sprinkler heads, are spaced about every 50 feet.

Ulrich says were he to do it over again he would use all aluminum main and lateral lines because they are light and easily moved. "You don't need three men and a boy to move them, as you do with the old heavy steel pipe," he comments.

Rory Collins of Hood River, Ore., agrees with Ulrich about sprinkler irrigation. . "There is no longer any argument about whether or not sprinkler systems pay here in our Hood River Valley," he says. "Sprinkler irrigation makes possible good cover crop practices, does a bet-



Lash cover growth and no erosion are reported by grower Boutelle of Washington.

ter job with less water, and increases size, color, and quality of the fruit."

Collins, whose scientific neglect system of orchard management is worldfamous, uses Stout irrigation equipment on portable aluminum pipe. To irrigate 20 acres, a four-inch supply line feeds three-inch laterals. A seven and one-half h.p. electric motor powers a Pacific pump that delivers 160 g.p.m., and runs 54 Rainbird sprin-klers set 25 feet apart. Using the Stout Tractor Move system, Collins shifts 1,250 feet of aluminum line in just 30 minutes.

It is important in planning a sprinkler system, Collins believes, to have the pump located on the highest spot

in the middle of the acreage and to cut down friction loss by using pipe of adequate size in the main line and laterals. Water for Hood River Valley growers comes from Mt. Hood by gravity, and some growers, he reports, have been able to eliminate pumps by joining with neighbors in using a larger supply line from sufficient elevation to obtain the necessary pressure.

Abel de Rocher, who irrigates up to 80 acres of apples in his de Willoughby Orchards at Belamont, Mich., also believes in main lines of sufficient diameter. "If I could do it over again, I would install a larger diameter main line, probably five-or



Above—Farm ponds for irrigation are proving their worth for many growers.


Left—Cut-off valves permit irrigating certain areas or moving sections of pipe.

Below, Jeft-Increased production is reported by Mirasson Orchards and others.


Below, right—Walter Rewl of South Careline uses small nessles to adventage. De Rocher started irrigating in 1946 when faced with prospects of good apple prices and an unusually dry period. Rather than cultivate his well-established sod cover, he checked into costs of irrigating, made the installation, and has irrigated at least once each season since them. In 1946 when he irrigated continuously during the drought, he found irrigated blocks were producing larger fruit with better color and finish. De Rocher also believes that irrigation affects bud differentiation.

In South Carolina, Henry Gramling points out that a mistake frequently made in his section is to buy a pump of too little capacity, especially since many growers later want to expand and reach higher elevations. Differing from Arnold Ulrich, Gramling cautions growers on the use of farm ponds, pointing out that in dry weather they frequently are not ample and many times run dry. Gramling uses Reynolds pipe, Shur-Rain couplings, Skinner sprinklers, and Hale irrigation pumps to irrigate 150 acres.

He has worked with three different







The big shift on fruit forms is toward lightweight but tough aluminum irrigation pipe.

six-inch," he says. "Also, I would have valves every 30 feet in the main line so that sprinkler lines could be moved one at a time while the pump is in operation."

De Rocher uses 3,000 feet of pipe with a 500 g.p.m. Hale pump powered by a Chrysler Industrial 85 h.p. engine. He started with galvanized steel pipe but believes lightweight aluminum pipe would be better in the sprinkler lines which are shifted every five hours. As many as 36 Skinner and Buckner two-nozzle sprinklers are used, and each setting of the sprinkler line waters two rows.

types of systems—perforated pipe, sprinklers, and volume guns which cover two to three acres at one time. "We have used the volume gun on peaches," he says, "and have seen crops which were saved or the value of a few acres go up thousands of dollars."

Other growers using systems similar to Gramling's with Reynolds pipe and Hale pumps are Gordon Floyd, Spartanburg; Arthur Rainey, Campobello; Guy Poore, Travelers Rest; and the Reverend W. J. Sprinkle, Chesnee, S.C.

In California, E. A. Mirassou of the Mirassou Fruit Ranch at San Jose, irrigates 24 hours a day, 365 days a year because of a short supply of water. His Peerless pump never stops. While the pipes are being changed, the water goes into a 50,000 gallon reservoir.

(Continued on page 20)

# IRRIGATION EQUIPMENT SHORTAGES?



BEFORE undertaking anything these days involving war materials and essential metals, it is a pretty good idea to find out what the market situation is and what is available. Generally speaking, the National Production Authority (NPA) recognizes the need for tools and equipment for growers and has granted priorities which enable them to go into the market for what they need. On July 1 the Controlled Materials Plan (CMP) goes into effect and under priorities granted and the orderly disposition of available materials, fruit growers are quite definitely assured consideration of their needs.

Aluminum is a critical war material and is in much greater demand than the supply. Lightweight pipe more than anything else has made possible the many successful irrigation systems which mean so much for agriculture. It is important that a source for such pipe be found. The two largest producers of the material are the Aluminum Co. of America and the Reynolds Metals Co. When American Fruit Grower interviewed the latter, Ray Christensen of

Reynolds Metals, Louisville, Ky., said, "Aluminum pipe is in limited supply — situation very fluid — one dealer may have it while another has none." The Aluminum Co. of America, Pittsburgh, Pa., looks at the supply situation as follows: "The National Production Authority in its order M-55A of May 11 has authorized a limited amount of aluminum irrigation pipe for irrigation systems for the third quarter of 1951," states R. B. third quarter of 1951," states R. B. Whidden. He continues: "It is doubtful that this amount will be adequate for the total demand. Nevertheless it should be encouraging to the irriga-tion industry that NPA has recognized irrigation pipe as being of sufficient importance to justify a DO rating in the face of the present substantial rearmament requirement."

In addition to the pipe, aluminum castings are used extensively in irrigation systems. Jack Willobee, vice president of Michigan Orchard Supply Co., South Haven, Mich., says: "We find aluminum castings to be available in fairly good supply, but the extruded aluminum alloys are the ones which are short. Aluminum pipe seems to be the problem in the irriga-

tion industry, but we find it possible to use more lightweight portable steel pipe in main lines of six- and eightinch diameters. These lines are moved once or twice a year while the sprinkler lines are moved hundreds of times."

There are other materials used extensively in a modern irrigation system which, like aluminum, are in short supply. Both copper and brass are under definite allocation, and their use and available stock are dependent upon priorities granted agriculture by the National Production Authority. In respect to these metals, H. M. Clark of Buckner Mfg. Co., Fresno, Calif., says: "We as a sprinkler manufac-turer are controlled by copper order M-12 which at present holds us to 75 per cent of our normal production. We will make as many agricultural sprinkler units as possible from our quota, severely restricting our lawnsprinkling equipment.

A. R. Friedmann of Skinner Irrigation Co., Troy, Ohio, offers the following: "So far as sprinklers are concerned, we are being limited in brass rod and brass castings, but we (Continued on page 34)

AMERICAN FRUIT GROWER



# FLORIDA TURNS TO SPRINKLER IRRIGATION

By A. T. RACE, Jr.

THERE are Florida growers living today who can tell many stories about their experiences of nearly a half century ago with supplemental irrigation. The early methods were crude and costly to install and operate. The end results, however, have always been the same. The grower who was able to put the proper amount of water on his farm or grove was rewarded with a larger crop of higher quality fruit.

Growers have been convinced that supplemental sprinkler irrigation is important not only in dry seasons but for combatting what is often called "invisible drought". This occurs when seasonal rainfall, although normal in total inches, is spaced so that the tree or plant is deprived of its regular needed ration of water.

It was after World War I that citrus growers in Florida began to switch from flood irrigation to per-forated or sprinkler irrigation. Slip joint pipe was in general use. During the 1930's lock joint pipe came into its own. As citrus acreages and production increased, pipe sizes also increased and a greater water flow at higher pressures had to be maintained to cover the acreages in a given length

Slip joint pipe designed for flood irrigation at low pressure was drilled and coupled to larger pumps and motors. The frequent blowing of slip joint equipment brought on the development of lock joint equipment. Again, still larger acreages came into being in the late '30's and early '40's,

(Continued on page 23)

Tough aluminum alloy pipe, couplings, and other parts have opened new irrigation horizons for Florida citrus growers. tion norsons for Profide circus growers. In this story A. T. Rece, Jr., president of Race & Race, Inc., pieneer Florida aluminum pipe company, tells why Florida growers are turning to portable sprinkler irrigation systems. With thousands of spring-fed lakes for water supply, Florida has made great strides in the eco application of water to fruit trees.-Ed.



Perforated pipe is used to advantage in citrus grove of Julian Johnston

# Apple Drop Control and Color Stimulation Result from Promising

# **NEW HARVEST SPRAY**

By M. B. HOFFMAN and L. J. EDGERTON New York State Agricultural Experiment Station

THE USE of growth substances to control the harvest drop of apples was first suggested in 1939 by Gardner, Marth, and Batjer, research workers in the USDA. Their original experiments showed that a-naphthaleneacetic acid (NAA), its amide or salts at concentrations of five to 10 parts per million (p.p.m.) would effectively delay the abscission of maturing fruits. The following year commercial preparations containing NAA or its sodium salt were introduced for use as a harvest spray. During the past decade this treatment has been widely used in all apple growing areas.

Early experiences indicated that NAA had limitations on some varieties because of a short period of effectiveness. For example, in the case of McIntosh, the most important variety grown in northeastern sections, one application of the so-called standard concentration (10 p.p.m.) is effective for only six to nine days, depending on temperature and condition of trees. It requires two to four days after spraying for NAA to become effective. Consequently, to obtain maximum benefits from the treatment it has been necessary to time the application accurately so that the beginning of the period of effect would coincide with the start of drop.

Even with such precautions, when warm weather prevails, the effect of one application usually terminates suddenly and completely within about one week and the drop from trees not harvested by this time becomes heavy. To overcome this situation, growers often use double or triple concentrations (20 or 30 p.p.m.) and generally resort to two and sometimes three applications on McIntosh.

In some seasons naphthaleneacetic acid has not proved very satisfactory for drop control of later varieties such as Baldwin, Northern Spy, Golden Delicious, and Rome Beauty. This may be because of the increasing senescence of the foliage and lack of absorption of the chemical at the late date when the application would be made for these varieties.

Color-set 1004 is the name of the new harvest spray described by the authors and which will be marketed for the first time this year by the Dow Chemical Co. Great hope is held for the new hormone because of its color stimulating properties, but authors Hoffman and Edgerton caution against allowing fruit to become too ripe through a long picking period or while waiting for it to color up.—Ed.

Attempts are continually being made to find more effective or more adaptable compounds for drop control. It is now well established that 2,4-dichlorophenoxyacetic acid (2,4-D) has a much longer period of effectiveness than NAA in controlling the drop of Winesap, Stayman, and several minor varieties.

For best results on these two varieties 2,4-D should be applied earlier than NAA; but very early applications during August may result in a damaging holdover effect expressed as deformed leaves the following season. When proper precautions are taken with respect to time of application and concentration, 2,4-D is now regarded as the best hormone for drop control of Winesap and Stayman. Unfortunately, 2,4-D has proved ineffective on McIntosh, Delicious, and other leading commercial varieties.

A number of growth regulating chemicals, including certain of the chlorophenoxypropionic acids, were tested during the early spring and summer of 1949 on potted apple trees in greenhouses. Of those tested, 2,4,5-trichlorophenoxypropionic acid (TCPPA) was found very effective.

Following these greenhouse tests, TCPPA was included in an orchard experiment on the control of Mc-Intosh drop during the 1949 harvest. This was an early season and the crop began to mature during late August. Because of the long period of effectiveness which TCPPA had shown in the tests, one group of trees was



Early Mcintosh tree sprayed with TCPPA on August 10 and photographed August 31, at which time the hormone was giving complete central of drop while aimost all fruits had falles from unsprayed test tree.

sprayed with this material at a concentration of 20 p.p.m. on August 4 and another group received the same treatment on August 18. A third group of trees was sprayed with NAA at 20 p.p.m. on August 30 as the harvest drop was beginning, and a fourth group of unsprayed trees served as checks.

All of these experimental trees were harvested on September 11.

The weather was unseasonably hot throughout August and the first half of September. This warm weather together with the development of some unexpected boron deficiency symptoms was responsible for a heavy drop. The cumulative per cent drop for the 12-day preharvest period, August 31 to September 11, was as follows: Checks, 55 per cent; TCPPA applied August 4, 19 per cent; TCPPA applied August 18, 16 per cent; and NAA applied August 30, 25 per cent. At harvest both treatments of TCPPA were still giving as good drop control or better drop control than NAA although these treatments were made 26 and 12 days, respectively, ahead of the NAA treatment.

Experiments comparing the effectiveness of TCPPA and NAA for the control of harvest drop of McIntosh and several other varieties were conducted in 1950. In these tests concentrations of 10 and 20 p.p.m. of TCPPA were applied early and well in advance of drop. The NAA was

(Continued on page 26)

# State NEWS

- · Crop Prospects Are as Fickle as the Weather
- California Cling Peach Growers Negotiate Unusual Canner Contract

On May 1 the USDA estimated the 1951 peach crop for the 10 southern states at 17,699,000 bushels, almost three times last year's total. The estimate for Georgia and South Carolina was placed at '4,410,000 and 6,708,000 bushels, respectively. By mid-May the crops in Georgia and South Carolina had been materially reduced by hail and because of lack of normal set. National Peach Council's mid-May estimate for these two states was 3,500,000 and 4,750,000 bushels, respectively. N PC's mid-May estimate of the freestone peach crop for the entire U. S. was placed at about 28 million bushels. Last year's commercial freestone crop totaled almost 32 million bushels, and the 10-year average, 1939-48, was approximately 50 million bushels.

GEORGIA—The first peaches—the Mayflower variety—were shipped from Montezuma on May 11 and brought \$15 per

bushel at Atlanta. In early May two severe hailstorms about a week apart lashed across the South Georgia peach section. As with all such storms, losses were extremely variable. In the Middle Georgia peach section, the plum curcuilo. population was apparently at its lowest point since 1945. If no disaster occurs in this section, the crop will be one of the best in quality in years.—Earl F. Saraage, Experiment.

SOUTH CAROLINA—Peach growers are experiencing probably the heaviest May drop on record. The mid-February estimate of the state's peach crop was 5,500,000 bushels. At this date (May 14) we will be lucky to harvest 75 per cent of the above figure.

The heavily planted Piedmont was about two-thirds in bloom on March 12 when a period of low temperatures started and lasted until mid-April. Only the blossoms that had bloomed and had been properly fertilized prior to this cold spell set normal fruit.

The Elberta seems to be affected more seriously than other varieties and since it is so heavily planted in the Piedmont section of South Carolina there are few, if any, orchards that are expected to produce a near normal crop. Weather conditions were also wet and leaf curl has played havoc, again particularly with the Elberta.—Roy J. Ferree. Sec'v. Clemson.

CALIFORNIA—An unseasonal but welcome rain fell during the second week of May, giving the dry land orchards and vineyards a welcome boost. Ripe strawberries, however, were wrecked, and a light hall hit limited fruit sections, lightly marking some prunes and apricots.

The apricot crop is now estimated at about 170,000 tons, which is a little less than average for the past five years. Crop last year was 213,000 tons.

A preliminary forecast of the prune crop would be around 170,000 tons or just slightly below the last five-year average. It is estimated that since the first of the year

6,034 acres have been taken out of prunes, mostly in the Santa Clara Valley.

The clingstone peach crop is currently forecast at about the same as last year's crop of 472,000 tons. It looks like the free-stone crop may be about 15 per cent under the 235,000 ton crop of last year.

Canners and processors are not talking price to the grower until they know a little more about the ceiling prices of processed fruit.

CLING PEACH GROWER CANNER CONTRACT: Cling peach growers represented by the California Canning Peach Association have negotiated a rather unusual contract with California canners. The growers' association will market the

The growers' association will market the peaches for their members. Most peaches will be thrown into a supply pool and canners will sign an agreement covering three, four, or five years in which they agree to take a certain basic minimum supply from the pool.

This agreement assures the grower of a

market and the canner of a supply. Price (insofar as possible in view of ceilings) will be set each year. The association will examine the economic and supply factors affecting both the fresh and finished product in the can. When a price has been accepted by one-third of the canners with whom the association has contracts and whose aggregate purchases represent one-third of the total association volume, then that price will govern the entire crop. If the canners refuse the price it will be withdrawn and a new price submitted.

A reserve pool of peaches will be held and from this the canners can draw to fill out their total requirements. The only catch in this arrangement is that the grower will have the say-so as to which canners can draw out of this reserve pool. This means that those canners with the best public relations with the grower will get the reserve praches.

serve peaches.

While the pool idea should benefit both
(Continued on page 32)

# FRUIT PEST HANDBOOK

(FOURTH OF A SERIES)

# ROUNDHEADED APPLE TREE BORER

THE roundheaded apple tree borer attacks apples, pears, and quince in the United States and Canada from the Daketas and Toxas eastward, and has been found also in New Mexico and British Columbia. Attacting principally yeans frees, under 10 years of age, the borer feeds on the inner bark or sapwood and makes burrows in the trunk from one or two inches below ground surface to a foot or more above ground. To make a thorough examination, remove earth about the trunk to a depth of two or three inches and look for derkened areas in the bark and for coils or piles of sawdust-like material adhering to the bark on on the ground.

between the ground. He was to the provide the following the recognized by their creamy-yellow color and brown head. There is a rounded thickning of the (Continued on page 37)




Above—Adult roundhoaded opple tree borer. Below—Larva (left) and pupe. Enlarged.





Send for free illustrated Bulletin No. 800A. See the wide range of types and capacities of Deming Irrigation Pumps. You can select the best type for YOUR specific needs.





Bulletin No. 800A

Write for free copy.

THE DEMING COMPANY

# **WASHINGTON FRUIT LETTER**

- Duty-Free Period Extended on U. S. Apples to Canada
- Labor Opposed to Importing Foreign Help

By LARSTON D. FARRAR

Washington Correspondent, American Fruit Grower

THE only important concession American representatives were able to obtain at the so-called reciprocal trade conferences held in Torquay, England, was the increase in the duty-free period (in which apples may be sent from the U. S. into Canada without paying any tariff), from July 12 to July 31—some 19 days.

Also, the normal duty on apples shipped from the U. S. to Canada was cut in half—from three-fourths cent to three-eighths cent a pound. This covers fresh apples only.

ALTHOUGH the Senate has passed a bill allowing the importation of Mexican workers, and the House Committee on Agriculture is holding hearings on the same legislation, it is recognized here that fruit growers must formulate their basic answers to the manpower shortages without too much hope of foreign labor.

The debate in the Senate over the importation of Mexican workers (the only nationality included in the bill) brought out strong labor opposition to bringing in any new workers.

THE SPECIAL committee headed by headline-hunting Representative James J. Delaney (D.-N.Y.), who seems to want to dig up some startling opinions about the dangers of using pesticides, continues to hold hearings.

The only witness in recent weeks to get any press notice was Louis Bromfield, the noted Ohio farmer-author, who voiced his belief that the insect poisons used on fruits and vegetables probably are a big factor in the prevalence of heart disease.

Representative Walt Horan (R.-Wash.), the Wenatchee apple grower who is on the special committee now, has endeavored to inject a more impartial atmosphere into these hearings. A star witness—not mentioned in any newspapers—was Dr. George Decker, head of the economic entomology section of the Illinois State Natural History Survey, University of Illinois, Urbana, who stated unequivocally that the use of pesticides was an economic necessity.

OFFICE of Price Stabilization, having gotten away with its rigid ceilings on beef, now is turning its eyes toward the fresh fruit and vegetable industry. The National Apple Institute, in conjunction with state horticultural societies, has requested that OPS appoint an advisory group on deciduous fruits, apparently in expectation that some kind of price controls are inevitable. Yet, as Truman Nold, NAI executive secretary, has pointed out, such a group conceivably could make a strong case against any controls and may stave them off, if anything could.

Heretofore, only the service fees charged by brokers, warehouses, etc., handling fresh fruits and vegetables, have been under price ceilings. These were removed when it became apparent that the controls would not work as long as fresh fruits and vegetables were not under ceilings, too.

During World War II, when there were ceiling prices on apples and other fruits and vegetables at retail levels but not on producers and other distributors, a general upset developed, as the law of supply and demand could not work. Apples backed up because the ceilings were treated as floors by retailers.

This time, if ceilings are imposed, there is little doubt but that they will affect all levels of distribution, from grower through to retailer.

CALIFORNIA grape growers heaved a sigh of relief at the rather modest excise taxes on wines reported out by the House Committee on Ways and Means. The amounts represent only fractions of the sums demanded by the Secretary of the Treasury.

SECRETARY of Agriculture Charles F. Brannan has become quite a champion of the farmer's needs and wants before Congress and in other parts of the government.

The secretary won a victory by getting full-time farm workers of all ages an exemption from the workings of the draft (details are available at any local draft board). He also has been putting in strong pleas for agriculture before the National Production Authority, which is to administer the Controlled Materials Plan beginning July I, and it is likely that farm machinery production will not suffer as much as was believed awhile ago.

The secretary also has been extremely active in both NPA and OPA, trying to increase the supply of boxes, burlap bags, etc.

# THE QUESTION BOX

When should zinc be included in a fertilizer program?—Washington

Zinc is needed when the trees show little leaf or rosette. You can recognize this condition by small narrow leaves that show as striped chlorotic pattern with green veins; by rosetted or small leaves appearing on one or two-year-old wood, with normal terminal growth; by small rosettes of leaves at the tip with extra small leaves or no leaves behind the tip; or by dieback following these symptoms. Soil applications of zinc are not effective. In the state of Washington, a late dormant spray of 15 to 25 pounds of zinc sulfate per 100 gallons corrects little leaf. Zinc deficiency has not been widely reported except in certain areas of the Pacific Coast.

Can you describe the treatment of plants with colchicine to obtain bud variation?—Econdar

To obtain bud variation with colchicine, it is best to treat tips of rapidly growing shoots. The more rapid the growth, the more effective is the colchicine. Treatment may be made by wetting the short tips thoroughly, once or several times, with the colchicine solution with the aid of a medicine dropper; or by immersing the growing tips in a vessel containing a colchicine solution for a few to several hours. A mixture of 0.5 per cent to 1.0 per cent colchicine in lanolin may be smeared on the growing shoots. Colchicine is poisonous and should be used with caution.

How late can you spray peaches in the spring for peach leaf curl?—Connecticut

Sprays must be put on before any sign of growth shows. The tree must be completely dormant. The peach leaf curl spore lies in the little cracks of the scale and as soon as there is the slightest bit of growth the spore moves under the scale and then you can't get it. If you spray before the bud swells you might get some control, but you won't get complete control if the bud has swelled at all.

Is fruit in consumer packages preferred to fruit in bulk packages?—Oregon

Mrs. Housewife can supply the best answer to this question. A poll taken by the Pennsylvania State College Research Department showed the following:

1. Do consumers want prepackaged or

Ready packaged Bulk	38.5 39.1		cent
Varied between items No preference	19.2	per	cent

2. What do customers think of quality between prepackaged and bulk produce? About equal 49.3 per cent Ready packaged better 18.2 per cent 21.3 per cent Varies between items 9.2 per cent Unknown 2.0 per cent

3. How do shoppers rate prices of prepackaged and bulk produce?

About same
Ready packaged higher
Bulk prices higher
Varies between items
Unknown

67.3 per cent
21.0 per cent
2.5 per cent
4.4 per cent
4.8 per cent

4. Do shoppers consider prepackaged produce a better buy?

About the same 36.7 per cent Ready packaged better Bulk better buy 28.4 per cent Unknown 3.0 per cent Unknown 3.0 per cent

# Protect yourself from dangerous spray solutions



UNITED STATES RUBBER COMPANY

Rockefeller Center, New York





# More \$\$ per Acre

"\$100 to \$400 more per acre this season"
—that's a typical report by one owner of a
dependable, economical Goulds Irrigation
Pump. You, too, can get more yield—and
more profit—from your orchard.

There's a Goulds that's right for your needs, no matter what sour of irrigation you plan —or what power source (electricity, gasoline-eagine or belt drive) is most convenient. Goulds is a complete line . . . standard units with capacities to 1800 gallons a minute, pressures to 140 lbs. Larger units on special order.

# More from your home

It's "better living" with Goulds running water in your home. See Goulds complete line before you buy a domestic water system.

Mail Coupon Today

Goul	ds	<b>Pumps</b>	Inc.
Dest.	AF-2.	Sanaca Falls.	M.Y.

Please send complete information on:

☐ Irrigation Pumps ☐ Domestic Water System

NAME .....

# .......

# BERRIES

(Continued from page 9)

depth of three feet or more. If the effective root depth is two feet, it is apparent that on a sandy loam soil this crop will continue to make satisfactory growth for two weeks or more before the rate of growth is reduced from lack of water. If the planting were located on a silt loam soil, it would make satisfactory growth for three weeks or more before additional water would be needed.

It is necessary to know how much rain occurs in order to know how much irrigation water should be applied. A standard rain gauge or a straight-sided vessel or tin can may be used to collect rainfall. Careful measurement of the rain water collected in such a gauge, plus an examination of the soil in the field, will show when the irrigation should be started.

For shallow rooted crops such as strawberries, at least one-half to one inch of water per acre should be applied at each application. For deeper rooted crops like raspberries, one to two inches may be applied. Excessive applications should be avoided on light soils because much of the water may be lost by drainage.

No benefit will be secured from a light sprinkle which wets only the surface of the soil. Such a light application will stimulate plant growth for only about a day and may do more harm than good.

Many readers may raise the question, "Will not capillary movement of water in the soil supply some of the plant's needs?" Some years ago it was thought that such movement was quite important in supplying water to the roots of plants. It is now known that capillary movement is very limited in extent and the rate is so slow that it has little or no real value as far as the plant is concerned. In most soils the effective range of capillary movement is less than one inch.

# Methods of Applying Water

The sprinkler method of irrigation is probably the most desirable system to follow. This method is especially adapted to land having an irregular surface and is rapidly replacing the furrow system even on gently slooping sites. The sprinkler method gives better utilization of water than the furrow method. This is an important consideration if the water supply is of limited capacity.

The extension agricultural engineers at the state colleges will gladly give growers advice on laying out an irrigation system. Expert advice of

# Here's how to keep Red Mites



Apple growers using CRAG Fruit Fungicide 341 in a complete summer spray program have found that no special miticide sprays are needed for control of European red mites. With CRAG 341 they get both excellent control of apple scab and suppression of red mites.

Trees protected with CRAG 341 produce fruit with good color and finish.

The scab control and red mite suppression result in vigorous dark green foliage.

The trees are healthier and they look it.

 Next time you're buying spray chemicals—get CRAG Fruit Fungicide 341 and save the cost of those special miticide applications for red mite control.

# **Protect for Profit**

CRAG

# CARBIDE AND CARBON CHEMICALS COMPANY

A Division of Union Carbide and Carbon Corporation 30 E. 42nd St. TE New York 17, N. Y.

In Canada:
Carbide and Carbon Chemicals, Ltd., Toronto

The term "Creg" is a registered trade-mark.

this type should be obtained because many problems must be solved if the operation is to be successful.

Portable sprinkler systems using lightweight tubing and quick-action couplings are desirable if the planting is to be rotated from one field to another over a period of years. Such portable equipment is also an advantage in that it can be moved from field to field during the same season and thus reduce the cost of the installation. If the berries are to be rotated with vegetables, a permanent overhead system may be the most satisfactory.

The use of canvas hose of the "ooze" or "eyelet" type may be satisfactory in a small home planting but is usually undesirable for a commercial acreage. The canvas hose is difficult to move when wet and rapidly deteriorates with age.

# Rate of Applying Water

The water should not be applied faster that the soil can absorb it. If puddles collect on the surface of the soil the water will start to flow and cause erosion just as in the case of a heavy rainstorm.

On sandy soils the water can be applied at the rate of up to two inches per hour with little or no difficulty. On sandy loam and silt loam soils the rate should be reduced to one-fourth to one-half inch per hour.

An acre-inch of water is 27,150 gallons. Therefore, a 450-gallon per minute pump cari apply in one hour one acre-inch of water. Sufficient sprinkler heads should be installed to have the rate of application slow enough to prevent an accumulation of water on the surface of the soil.

# Costs of Irrigation

Only very general information can be given regarding the cost of supplemental irrigation. Installation costs have been reported which vary from \$50 to \$150 per acre. The actual cost depends on the number of acres involved, the nearness of the water supply, and the height to which the water must be pumped. Each installation must be figured separately, which emphasizes the importance of consulting a qualified agricultural engineer before the equipment is purchased.

Operating costs vary as do the expenses of installation. A cost of \$10 to \$15 per acre per year for maintenance and operation will usually cover all items of expense.

Advertisers will be glad to send you details of their products. Be sure to mention American Fruit Grower when you write.

# MORE PROFIT FROM A BETTER CROP WITH John BEAN PACKING HOUSE EQUIPMENT



Get top profits from your quality crop with a "blue ribbon" pack.

Your good crop will market better when you pack it with John Bean equipment. For archards large or small there is labor-saving, profit-building John Bean packing house equipment that merits your consideration. With it, you get a greater pack-out per man-hour at lowest cost. There's no obligation to get the facts—write ar send coupon today, or better still, see your John Bean dealer.

MAKE A GOOD PACK LOOK EVEN BETTER with a John Bean 2-way cleaner

You improve your profits when you improve the appearance of your pack with a John Bean 2-way truit eleaner, Your fruit is carefully brush-cleaned and softly polished with the exclusive 2-way action. There is no increase in labor costs when you add a John Bean cleaner to your packing line, so all the extra value your dad to your pack is extra profit for you.




GRASILL GRADERS provide "Kid Glove" handling for your fruit .



Your fruit gets a cushioned ride when it is aised and sorted on a Grabill grader, so that even the most tender applies are gently handled. A Grabill grader will be the start and the "heart" of your complete, modern John Bean packing house.

A NIAGARA PEACH SIZER provides typical John Boun efficiency with full protection for your crop . . .

Fast accurate sixing with a Niagara Peach Sizer meems big savings in time and cost whether your volume is large or small. You'll see how you can save labor and build profits with the better pack you'll get with John Bean equipment. No grower has too large or too small a crop to henesit from it.



fmc		********
John BEAN	JOHN BEAN Department A5-4 Lansing, Michigan	
San Jose, California	NAME	
Division of food Machinery & Chemical Corp.	ADDRESS	STATE



You'll get effective control with -

# **SHELL BLADEX F-2**

thrips, aphids, mites, red spiders, whitefiles and lots of others . . . stop functioning when this powerful agent reaches them.

Very fast, 2-way action . . . Shell Bladex F-2 kills by contact and by fumigant action. Actual contact is not necessary. Since many insects swarm on lower as well as upper surfaces of foliage, this double action accounts for much higher kill than can be obtained by insecticides which kill only by contact.

**Emulsifies** readily . . . Shell Bladex F-2 is easy to use . . . mixes readily with water and can be applied effectively with ground spray equipment, or as a mist from either ground or aircraft.

No harmful residue...since the kill is very fast and the toxic effects disappear in a few hours, Shell Bladex F-2 can be used as required right up to harvest time.

For information on Shell Bladex F-2 call or write your Shell Chemical degler

# SHELL CHEMICAL CORPORATION

CHEMICAL PARTNER OF INDUSTRY AND AGRICULTURE

EASTERN DIVISION: 300 Fifth Avenue, New York: 16
WESTERN DIVISION: 100 Bush Street, Sun Francisco 6
Les Angeles e Houston e St. Louis e Chicago e Cleveland a Botton e Datoù e Navark



# SPRINKLER EXPERIENCE

(Continued from page 11)

Mirassou uses 3,500 feet of fourinch Alcoa aluminum pipe, Shur-Rain couplers, and Rainbird sprinklers. He also has 14,000 feet of eight-inch steel underground main line through which water is supplied from a 400-foot well. Mirassou irrigates 350 acres with 350 g.p.m. from his well and believes he could do this only through the use of sprinklers. "We have actually increased production," he says.

One of the irrigation problems Cecil Clark of Wapato, Wash., found difficult to overcome was getting water on odd-shaped areas. To overcome this, he devised a system of three sprinklers on a hose to cut down labor in moving portable pipe into these "out of line" places. Using Calco, Stout, and Wade Rain systems, Clark has installed sprinklers on over 400 acres.

Clark favors self-priming pumps and says the only trouble he has experienced is an occasional power failure. To avoid trouble with trash clogging the sprinkler line, large multiple screen boxes are used; and for growers with a silt problem, Clark advises installing settling boxes sufficiently large to reduce the movement of water to six feet per minute.

# Insect Population Decreased

Most of his sprinklers are L. A. 20 type Rainbirds, but one installation is of L. A. 40's on tripods, overhead type. Clark reports that wind is bothersome with this overhead type, but that the overhead system is good for trees and reduces pests, particularly mites.

George P. Sisler of Wenatchee, Wash., also uses overhead sprinklers on 65 acres of bearing apple trespand 40 acres of young pears and apples. He believes the overhead sprinklers have reduced his spraying costs because they have made possible the elimination of sprays for mite control. "This saving has paid for our overhead sprinklers," says Sisler. He attributes the mite suppressing effect to the fact that he irrigates at 10-day intervals and doubts that this would hold true where water is applied at two or three-week intervals.

Sisler pumps water directly from the Columbia River and has two 15 h.p. booster pumps to lift the water the necessary 160 feet. The main pump is powered by a 75 h.p. electric motor and throws 1,100 g.p.m. at a 160-foot head. The main sprinkler lines are of steel with Alcoa aluminum laterals. The high risers are fastened at the base with Williams quick-couplers which fasten or unfasten

with a quarter turn. The sprinkler heads are of the Buckner and Rainbird types, and most of the pipe is equipned with Stout couplers. Armoo couplers are also used which Sisler says are especially good for the low sprinklers he has on 10 acres of bearing apple trees, as the line stands up well without support.

One change Sisler made was to shorten some of the sprinkler laterals. He says: "I believe a line 300 feet long of two-inch pipe is about the right length. Such a line can be moved without using a tractor and trailer. Furthermore, a longer line requires too much walking."

# Erosion Controlled

Another Washington grower, George Boutelle of Kennewick, is enthusiastic about sprinkling and mentions, as advantages over rill irrigation, more uniform coverage, no run-off, absolute erosion control, and savings in water. He says: "Our orchard is on hillside land. We could not get a good cover crop with furrow irrigation and were having trouble wetting the centers between the furrows; at the same time we were losing valuable topsoil. Sprinkler irrigation changed all this, for by screening the water we seldom have any clogging of sprinkler heads, and there is never any question whether all rows are watered evenly." Boutelle uses Ideal sorinkler heads, working from a 180 g.p.m. Pacific pump with a three h.p.

J. H. Heisey of the Heisey Orchards at Greencastle, Pa., uses perforated pipe, manufactured by the W. R. Ames Co., to irrigate 80 acres of apples. The grove and orchard type of perforated pipe, which gives a 20-foot spread each way from the pipe, requires only 20 pounds pressure on the line, says Heisey, and is easy to handle. Water is supplied by a 1,000 g p.m. pump through an eight-inch underground main line.

Heisev says, "Our production and quality have shown definite increase since we have been irrigating, despite the fact that we have not had a severe drought in the last five years."

# Provide for Half Your Planting

Be sure of your water supply is the best advice given by Bernard Mumma of the Mumma Fruit Farms at Dayton, Ohio. Mumma says it is a good idea to check your supply at the driest time of the year. "Furthermore," he says, "purchase large enough pipe when you start buying because you are always going to add to your system. The loss in friction more than pays for the difference in cost. Also, buy enough pipe so you can lay your

(Continued on page 22)

# Mumma Fruit Farms USE FLEX-O-SEAL

# PORTABLE IRRIGATION PIPE EXCLUSIVELY

Writes B. W. Mumma:

Chicago Motal Mfg. Co. Chicago 32, III.

I use Fier-O-Seal Pipe exclusively in my irrigation systom and have found it very satisfactory. The coupling is the easiest and quickest to assemble and I can obtain a more fluxible curve than with any other pipe.

> (Signed) B. W. Mumma Mumma Fruit Farms Dayton, Ohio



Write for descriptive literature in colors.

# CHICAGO METAL MFG. CO.

SOUTH ROCKWELL STREET

CHICAGO 32, ILLINOIS



When your chain saw gats Oragon Chipper Chain with <u>Fast-File Toath!</u> Woul More speed; Seedy performence! Fast-Filing! You'l like Oregon Chipper Chain with <u>Fast-File Toath</u>. It is standard replacement chain for all saws. Ask your dealer, or write direct te facctory, Give saw make, but leauth.

Deal 24.

Oregon Chain Goes With Any Saw





JOHN C. RACON CORP. GASPORT, N.Y.



buy

BES-BLO blower units to convert your present hose rig to a modern 1-man sprayer. Three models—a size to fit your needs exactly I Standard BES-BLO delivers approximately 7,300 cu. fit. of air per minute; Big BES-BLO, 15,000; Super BES-BLO, 25,000.

BES-SPRAY one-man air-hydraulic sprayers for better, faster, lower-cost pest control!

WRITE FOR FREE LITERATURE

BESLER CORPORATION

# ORCHARD SUPPLY DEALERS

Reputable manufacturer of Corrugated Boxes ospecially designed for the Apple Trade, offers exclusive and profitable territories to established Dealers who do not now carry Corrugated Boxes. Only Orchard Supply Dealers need apply, Please state lines you now carry and territory you cover.

THE PAIGE COMPANY 28 West 44th Street New York City 18

# SPRINKLER EXPERIENCE

(Continued from page 21)

laterals to cover 50 per cent of your planting at one time. This will eliminate a lot of moving and damage caused by carrying the pipe over wet ground or tramping down young plants, berries, etc."

Mumma uses electric power with one 150 h.p. motor on a 1,300 g.p.m. pump and one 15 h.p. motor with a 450 g.p.m. pump. "The electric power is more costly," says Mumma, "but for convenience 1 believe it pays."

Mumma uses Flex-o-seal pipe to irrigate 250 acres.

Another grower who wishes he had started with lightweight aluminum rather than the heavier steel pipe is Donald Piper of Bangor, Mich. Piper changed to Alcoa aluminum for easier handling when it became available. Regarding the pump motor, Piper says. "Be sure to get one large enough and with a good surplus of power. Also, be sure, if you purchase a gasoline or Diesel motor, to install a safety switch for over-heating and low oil pressure."

Piper continues to add pipe to his

system as he irrigates farther from the pump. He is now installing fiveinch main lines and four-inch laterals. Two years ago he replaced the old pump with a new Fairbanks-Morse and now pumps 600 g.p.m.

Piper has found that his sprinkler system gives him excellent frost control on strawberries, protecting down to as low as 22°. "We set our lines 70 feet apart," he says, "and the sprinklers are staggered 60 feet in the line. We use Buckner single-head sprinklers with a three-sixteenthsinch tip and approximately five g.p.m. discharge. The pump is started when the frost starts to lay in the field at about 34°, and is kept running until the ice is gone next morning."

Piper is well satisfied with his irrigation system. "It has paid for itself as we went along," he reports. Piper uses the Bouyoucos meter and plaster of Paris block to tell when to irrigate and how much.

Walter Rawl of Gilbert, S. C., agrees with Piper about shifting to aluminum pipe. Rawl has 4,500 feet of six-inch underground pipe which he would change to six-inch aluminum pipe if he could do it over again. Rawl likes fresh water ponds and has completed four farm ponds within the past four years and will have another completed for this season's use. These ponds range in size from 1.3 acres to seven acres, and eight and one-half to 131/2 feet in depth. Rawl uses small nozzles to get water under his peach trees and has two pumps, each delivering 500 g.p.m.

# West Likes "Controlled" Irrigation

Western growers, too, have found sprinklers, in many cases, to be superior to rill irrigation. In Colorado, Prescott W. Eames of Grand Valley provides a fitting ending to this story with his experiences.

"This is my fifth season with sprinkler irrigation, and my one regret is that it is not my 25th year. I have washed away enough topsoil, lost enough water, and wasted enough fertilizer, to have paid for a sprinkler system several times over.

"We started with a small pumping outfit to irrigate 12 acres of cherry orchard. Now we have 72 acres under sprinkler irrigation. We utilize gravity pressure with a steel main line.

"We have found Rainbird sprinklers the most satisfactory of the three kinds we have tried. The portable aluminum pipe and self-draining couplers are entirely satisfactory."

He concludes, "There is no other method of irrigation that permits anything like the control that one gets with sprinklers, and certain control is one of the most essential factors of any method of irrigation."

# PROFITS GAIN When you use WADE RAIN



# The LEADER IN FEATURES

- QUICK, POSITIVE COUPLER. Self-locking from carrying position. Saves walking and stooping.
- LIGHT WEIGHT ALUMINUM. Permits handling two 20-foot sections of pipe.
- SELF-DRAINING, "Loks-in" Coupler Gasket drains pipes when pressure is off. No lifting pipes full of water.
- CONTROLLED FLEXIBILITY. "Double-Pressure-Seal" Gasket allows ample flexibility on rough, rolling ground. Gasket can't blow out or be forced out by pipe.
- UPRIGHT STABILITY, Lateral lines locked in upright position.
- MAIN LINE VALVE. Holds water in Main Line while laterals are being changed.

# PLAN NOW!

Our Irrigation Technician will be glad to visit your farm to help plan the right layout to fit your farm and crop requirements.

	COUPON	TODAY
PROFILE.	COUPOR	IUUAI

-	-	£	-	-	-	_			_						n										l	•	K	H	Æ		
		Sen	W	A	DE	0	e de	M A.S	P	i i	Sq	e M	in	nt M	er er		e in	ti ri	91	e of	i	ni H	10	w					٧	1-7	2
A	lon	10.														*		4)4		3.											
A	dá	resi	ı.						8			*	×	4 6		. ;			ĸ,	. ,			×				• •				
0	liy		**									×	. 1	Īά	gris.							×					. 4	×			

# FLORIDA IRRIGATION

(Continued from page 13)

which demanded even larger pumps, motors, and pipe to cover these acreages in a given length of time.

It was during the World War II years that Florida growers, not unlike most growers at that time, were experiencing a manpower shortage. This situation plus a shortage of galvanized steel pipe, made a perfect setting for aluminum to enter the irrigation picture. Enough aluminum pipe was sold the first year to prove its worth, from the standpoint of strength as well as cost.

# Operating Costs Cut in Half

Many growers with large acreages after the first year's use of aluminum pipe claimed savings of at least 50 per cent in operating costs and growers with smaller installations of 10 acres or less claimed as high as 75 per cent. In the case of the latter the use of aluminum pipe eliminated the necessity for hiring two or more men previously required to irrigate a grove. The average savings in manpower where aluminum systems are used are about 50 per cent.

Florida soils vary from very porous sandy soil to clay. The rate of absorption without wash will vary from six or eight inches of water per hour down to one-quarter inch per hour. Because of these varying soil conditions, many types of irrigation methods are practiced. Areas situated at a lower level than adjacent water still use the flood method, which is the cheapest possible way to handle water. As our water table falls this practice may be curtailed for it is a known fact that to accomplish the same results approximately 100 per cent more water is required for flood irrigation than for sprinkler irrigation.

# Systems in Use

The two most popular irrigation systems in use are the perforated pipe and the rotary head. Citrus growers use perforated pipe extensively. Some growers producing such crops as strawberries use perforated pipe with tiny holes which cause a light fall of water simulating a very fine rainfall. Some citrus growers use giant rotary heads, to simulate a young cloudburst.

Perforated pipe usually is made with two holes drilled every 12 inches and the distance between the holes varying on three pairs of pipe and then repeating. The size of the holes varies from one-sixteenth to three-sixteenths inch in diameter depending on volume and coverage desired. Rotary heads are designed to meet almost any given

- (Continued on page 24)



# ORTHOCIDE 406 Wettable\*

A new, forward step in fungicides offering growers:

- · Outstanding control of certain fungus diseases.
- · Higher finish on fruit especially apples.
- · Harvest quality as much as 80% improved.
- · Good plant safety.
- · Compatibility with most commonly used insecticides.
- Versatility—used on fruits, vegetables, nursery plants and cuttings.

Intensive research by state and federal pathologists and commercial research workers has proven ORTHOCIDE 406 Wettable excellent control of some of the most important fungus diseases on apples, cherries and many other fruits, vegetables, ornamentals and flowers. Now registered for experimental sale.

\*A new organic fungicide, containing N-trichloromethylthio tetrahydrophthalimid obemically different from fungicides now used.

For full details on the use of this product in your area, contact your nearest ORTHO Fieldman.



# CALIFORNIA SPRAY-CHEMICAL CORP.

326 Fennville St., Feenville, Mich. 130 Bayway, Elizabeth, N. J. 147 Relirced Avs., Cysdenville, N. Y. P. O. Box 129, Maryland Heights, Mo. 1010 East Rose, Oktohome City 4, Okto. 0.0 Box 1231, Cytaede, Flu. 311 Evons St., Caldwell, Idehe 81 S. E. Yeshill, Perliand 14, Ore. 315 N. Teath \$4., Secremento 15, Calif. 675 Emery St., San Jose, Calif. 3208 Hamilton Ave., France, Calif. 320 N. Magarelia Ave., Whitter, Calif.

Other femous ORTHO products for exchand use:
TAG Fungicide, MICRO-FLOTOX Wornshie Sulfer, VAPOPHOS Wortshie, ORTHO
Sendord Long Associate PERSISTON Wortshie, VAPOPHOS Wortshie, ORTHO-MITE

T.M.'S REG. U.S. PAT. OFF.: GRING, GRINGOIDE, TAG, FLOTEX, VAPOPHOS, PERSISTO, VAPOTOR

World Leader in Scientific Pest Control

# TEAMED-UP

Farmers and railroads are longtime "partners"-in one of the biggest and most vital jobs in America.

The farmer grows the food, the feed, and the fiber so basic to the strength of the nation. The railroads bring the farmer his supplies and equipment-and carry his products wherever they are needed.

And these days, when national rearmament is everybody's biggest job, this "partnership" takes on even greater importance. For, as America's "muscles" get bigger, its appetite for almost everything increases enormously.

American farmers are working to produce the crops that will be needed, come what may. And the American railroads are working with them and with all of industry to move the things the nation needs to keep it prosperous and to keep it strong.

Listen to THE RAILROAD HOUR every Monday evening on NBC.

# for a stronger

# America!

WASHINGTON & D. C.

# FLORIDA IRRIGATION

(Continued from page 23)

condition, depending upon the requirements of the grower.

A sprinkler known as a sprinkler gate is used by many citrus growers. The gate is adjustable from being fully closed to wide open. At 20 pounds pressure a fan-type spray results, covering a diameter of approximately 45 feet with 25 gallons per minute from each head or 20-foot length of pipe. The volume can be controlled, depending upon pressure and gate setting, to give practically any desired gallonage over a given area.

Water for most of Florida's irrigation systems is pumped from thousands of spring-fed lakes, rivers, and streams. Since 1945 the proportion of deep wells being drilled that require turbine pump installations has increased; but centrifugal pumps directly connected far outnumber turbine installations.

# Portable Systems Favored

Complete portable irrigation systems of high pressure, high volume capacities are gaining in favor over permanently installed plants. Aluminum irrigation equipment to withstand these higher pressures has been designed. Since a manufacturer cannot determine for what purpose a certain piece of pipe will be used as it goes down the production line, all pipe manufactured today must be capable of handling high pressures. Many growers add to their existing equipment each year as additional acreage comes into bearing or is acquired. Six-inch mains today probably will become sprinkler lines within a few years or will be required to carry higher volumes of water, resulting in much higher pressures.

Several years agó, prior to aluminum entering the irrigation field, operating pressures exceeding 60 or 70 pounds were unheard of for irrigation. Today, thanks to strong heattreated aluminum alloys, pressures resulting from long mains are no particular problem. Six-inch aluminum mains are being manufactured which will operate successfully at well over 500 pounds pressure per square inch. Actually, no irrigation system will be operated in the foreseeable future at such pressures. However, such strength will take care of a lot of trouble caused by water hammers in long line installations.

# Proper Alloy Is Important

Practically every part of an irrigation system, with the exception of the pump and motor, is today being constructed of aluminum alloys. Ease of handling demanded these changes. Foot valves, butterfly valves, tees, ells, and the big rotary guns are now principally constructed of aluminum.

The proper alloy in the proper place makes for a long-lasting, serviceable piece of equipment. Certain metals and aluminum do not get along too well. Certain alloys of aluminum, too, do not get along well by themselves. Certain methods of construction of even good aluminum may result in a product not up to standard. To make sure that the irrigation system you plan to install is made from the proper alloys, consult your local dealer and if he is reluctant to make recommendations, ask for specifications on aluminum alloys. Aluminum is comparatively new to the irrigation field and some growers may not know the importance of using the proper alloy. Your nearest aluminum representative can guide you in a proper selection.

Florida has installed many millions of feet of aluminum since 1946. Today, about 50 per cent of the groves and farms are irrigated. Of this acreage, nearly 50 per cent is irrigated with aluminum systems. In five short years, Florida growers have purchased almost as many feet of aluminum systems as are in operation in competitive equipment still in existence. Replacements of old systems are predominently going to aluminum.

It is difficult to include here costs of irrigation equipment. The grower should deal with a reliable dealer who is acquainted with his problem or is willing to learn it before making a recommendation. A good installation that will serve you well will be the result of careful study.

# Make Known Your Requirements

Today, all metals are in short supply. Your irrigation dealer can still get top-quality products designed to meet your specific needs; but those of you who are planning irrigation in the near future should make known your requirements a little prior to the day the equipment is needed. Several months notice is required by the nianufacturer to secure certain parts of an irrigation system. If such a part comes into immediate demand because of a drought in a given area. substitutes will have to be made for short notice delivery.

Irrigation is here to stay. One of these days portable mains will be supplied in 10- and 12-inch sizes of extruded light-wall, high-strength, aluminum alloys, capable of handling several thousand gallons per minute. Cost per acre inch of water applied undoubtedly will be reduced substantially with such large installations, and another milestone will have been reached.

one man operation



# (fingertip) Tractor Seat

Puts an end to labor waste . . tractor operator do spray work formerly requiring 3 men. Operates sides together or separately. Responds instantly.


# BLOWER

High velocity design embodying dual-inlets and adjustable housing vanes. Sides indeidently piped and operated. Designed for concentrates or semi-concentrates requiring capacities of less than 15 g.p.m. per side. Powered with Wisconsin aircooled engines. Fuel tank is in base. Selfstarter optional. Mounts easily on tank or at back of sprayer.

Your Greatest Assurance of Low Cost

# ORCHARD SPRAYING

Here's the proven kind of power-sprayer conversion equipment that sets a new standard of performance. The exclusive Aqua-Jet principle of atomization and projection gives top-notch spray coverage. For speedy spraying in any type or size of orchard Aqua-Jet gives incredible economy of time, materials and man-hours. Guaranteed to do a better job—to live up to every claim-or full purchase price refunded.



Attachable AQUA-JET BLOWERS or BOOMS make a Speed-Jet Rig of your present Power Sprayer.







Eastern Distributor: NEWTON CHEMICAL & SUPPLY CO., Bridgeville, Delaware

HURST INDUSTRIES, INC.

San Jose, California (Subsidiary, CARDOX CORP., Chicago)

# YOUR INSURANCE FOR BETTER CROPS!



# CORONA

- . ARSENATE OF LEAD
- MICRONIZED 50%
   WETTABLE DDT
- MICRONIZED WETTABLE and DUSTING SULFURS
- . TREE WOUND DRESSING
- COROMATE (Ferric Dimethyl Dithiocarbamate)
- COROTHION (15% Wettable Parathion)
- CORONA "26" (Tri-Basic Copper Sulphate)



# HARVEST SPRAY

(Continued from page 14)

used at 20 p.p.m. and timed to coincide as near as possible with the beginning of drop. The results of one of these experiments are given in the accompanying table.

In contrast to the previous year, 1950 was a late season. The NAA was applied on September 16. Relatively cool weather prevailed throughout the period of drop records. However, the check trees showed a rather constant rate of drop, reaching 23.6 per cent on September 29 when the trees in all treatments were harvested.

The weaker concentration, 10 p.p.m., of TCPPA applied September 1 or four weeks before harvest reduced drop to 12.3 per cent. The stronger concentration, 20 p.p.m., applied September 1 reduced drop to 3.3 per cent.

varieties not listed above. In other words, it does not seem to be specific for only a few varieties as is 2,4-D. Certainly it has a much longer period of effectiveness on McIntosh and some other varieties than does NAA. This means more leeway in timing the application and less concern about a sudden run-out or loss of effect.

Limited experience indicates that TCPPA may require several days longer to take effect than does NAA. However, if reasonable time limits are exercised in making the application there should be no necessity for a duplicate spray.

In commercial practice an application made about seven to nine days before the beginning of drop should allow sufficient time for the treatment to become effective, and such a procedure should give protection against drop for three to four weeks. When convenience or the saving of time are

Effect of TCPPA and	NAA on the	Harvest	Drop of	McIntosh	Apples.*	1950

	Conc.	Date				Cı	mula	tive	Per (	ent	Drop		
Treat.	PPM	Applied	9/1	17	9/18	9/19	9/21	9/22	9/23	9/25	9/27	9/28	9/29
Check TCPPA TCPPA TCPPA TCPPA	10 20 10 20 20	9/1 9/1 9/8 9/8 9/8		1 2	0.1	1.0 0.2 0.8 0.3	2.0 0.5 1.3 0.5	10.6 3.1 0.7 1.8 0.6 5.3	4.7 1.0 2.5 0.7	6.0 1.4 3.0 1.0	8.0 1.8 4.1 1.3	10.1 2.4 5.3 1.7	12.3 3.3 6.8 2.2
L.S.D at 5%	Point		-	-	-		-	-	-		-	-	4.99
Daily Temp.		Max. Min.	6 3		68	68	72 50	54   48	62	56   32	62	60	63
*Eight trees	per treat	ment. Av	erage	3	5 bu	shels	per t	ree.					-

A concentration of 10 p.p.m. of TCPPA applied September 8, or three weeks before harvest, was just as effective in drop control as 20 p.p.m. of NAA applied September 16, or two weeks before harvest, the final drop being 6 8 and 7.3 per cent, respectively. The TCPPA treatment at 20 p.p.m. concentration applied September 8 held drop to 2.2 per cent. Probably because of the inception of cool weather just before NAA was applied, this treatment required about five days to reach its peak of effectiveness.

Varietal Adaptability

While the work in New York State with TCPPA for drop control has been concerned mainly with the McIntosh variety, limited tests indicate that it is equally effective on Early McIntosh, Milton, Wealthy, Delicious, Fameuse, Baldwin, Golden Delicious, and Northern Spy. In a commercial trial on Delicious where 10 acres of trees were sprayed by the grower four weeks before harvest, TCPPA at both 10 and 20 p.p.m. gave excellent control of drop. Unsprayed trees in this orchard averaged 4.5 bushels of drop fruit per tree, or about 22 per cent of the crop.

According to reports from other areas, TCPPA has proved to be effective on several other commercial important considerations, several varieties such as McIntosh, Baldwin, and Delicious, which mature relatively close together, might receive the treatment at the same time. For later sorts, such as Northern Spy and Rome, the long period of effectiveness of TCPPA would make it possible to apply the treatment before the foliage began to lose its ability for absorption from frost or other factors which bring about senescence.

# Effects on Color and Maturity

In a number of experiments the TCPPA spray stimulated and increased the amount of red color. This was especially striking on Early McIntosh and Wealthy in 1950 when the hormone was applied two weeks before harvest. Relatively cool weather following the application may have been partly responsible for the excellent color obtained.

However, a similar effect was noted on McIntosh in the 1949 experiment when the weather was very warm. The daily maximum temperatures during the 38-day interval from spraying to harvest, August 4 to September 11, ranged from 66° to 98° F., with a daily average of 82° F. Because of this long period of continuous hot weather, the color of all fruit on the check trees at harvesttime

was unsatisfactory, while over 75 per cent of that from sprayed trees was

Northern Spy has responded to this treatment with increased color. Limited experience indicates that the yellow color of Golden Delicious, which is often slow in developing during a short growing season, will be improved by the spray.

In order to obtain this effect on color it may be necessary to apply the spray at least two weeks in advance of harvest. There may be little or no effect on color when trees are carrying an excessive set and the fruit is small in size. The most pronounced effects on color have occurred where the trees were well thinned or the normal set resulted in an adequate leaf-fruit ratio for good size and quality.

The development of red color and the change in under color from green to yellow is closely associated with the ripening processes. As is the case with napthaleneacetic acid, TCPPA seems to exert some direct stimulatory effect on the rate of ripening. With summer apples and other varieties, including McIntosh, maturing during hot weather, hormone sprays which are effective in drop control will often reduce the firmness of the flesh as measured by the pressure test.

As yet, there is no evidence to indicate that an application of TCPPA will result in a greater direct stimulation of the ripening processes than some of the NAA programs now being used. On the other hand, in spite of the present use of NAA, a 25 to 30 per cent drop of mature fruit often occurs in some of the larger Mc-Intosh plantings during the latter part of the harvest. This automatically protects the pack against a certain amount of ripe fruit.

A hormone that will control drop throughout a long harvest would naturally result in the picking of an increasing amount of ripe fruit as the end of harvest approached. In such cases the last fruit to be picked might be marketed first while it is in prime condition for early consumption.

The formulation of TCPPA used experimentally during the past two seasons was distributed under the code number A-1004. This designation has been changed to "Color-Set 1004." Growers who may decide to try this chemical for drop control during the present season should remember that, like any other hormone, a good, healthy foliage and thorough coverage are necessary for absorption and maximum effects. If the perfect hormone for drop control is ever developed, it will still be necessary to remove the fruit from the trees before it becomes over-mature, else poor keeping quality will result.



# FROM FARM CROPS

From coast to coast, with crops of all From coast to coast, with crops of all kinds, farmers are depending more and more on Gorman-Rupp centrifugal pumps to assure an unfailing supply of water for producing larger and better crops.

Gorman-Rupp pumps give you straight-in suction and discharge connections on opposite sides of the pump.

End plate is easily removed for cleaning without disturbing suction and discharge lines.

charge lines.

Check Valve automatically stops water from draining back into the pump. Seal is on suction side, under vacuum, instead of under pressure. This keeps dirt out of seal.

Gorman-Rupp pumps are made in various sizes to suit your requirements.



# HEAT EXCHANGER UNIT

Larger size Gorman-Rupp Irrigation Pumps are avail-able with Heat Exchanger cooled engines, as well as Radiator cooled. Smaller size pumps are driven by Air-cooled engines.

Write and ask for bulletin 9-IR-11 and folder "Irrigation at Malabar Farm".

THE GORMAN-RUPP COMPANY

MANSFIELD, OHIO

# -DON'T GUESS-

AMERICAN FRUIT GROWER 1951 COMPATIBILITY CHART JUST PRINTED IS AN ACCURATE GUIDE FOR MIXING ALL INSECTICIDES AND FUNGICIDES

WEATHER CHART

SPRAY and DUST when weather cond out of applying chemicals.

ONLY 10 CENTS EACH! For AMERICAN FRUIT GROWER WRITE US TODAY! AMERICAN FRUIT GROWER

106 Enelid Ave.

Willoughby, Ohio



MAGNESIUM ORCHARD LADDERS NOW AVAILABLE

- Less than half the weight of wood Weighs 35% less than aluminum
- All welded construction
- · Non-rusting non-sparking

 In all lengths for direct shipment Magnesium supply limited, so ORDER EARLY

Enclose Check or Money Order

100% Satisfaction or Money Refunded

lorn Magnesium Products. In





Proved by world-wide use throughout the years, and improved by continuing research, Rain Bird leads the sprinkler industry because it delivers more coverage per dollar on large and small acreage aike.

There's a Rain Bird sprinkler for every agricultural requirement, with 19 different models ranging in size from 11/2 G.P.M. at 3 pounds pressure to 61 G.P.M.

If you have a special problem, our research department is at your service.







# VER 45,000 FARM

HAVE SENT FOR THIS VALUABLE ALCOA BOOK ON



Get your FREE COPY ... Mail coupon today!

# PORTABLE SPRINKLER IRRIGATION

Man-made rain, applied at the right time with sprinklers, is making farming more profitable all over the country. Worth looking into? This free 32-page Alcoa book will answer many of your questions . . . about equipment, costs, system layout and operation, water sources. Tells how easy-to-move aluminum sprinkler systems save labor, conserve water, increase yields, improve crop quality.



ALCOA IRRIGATION PIPE

City or Town	State	Supply of Alcou Irrigation pipe may be limited by military needs for aluminum.
Address		
Name		
Please send me "Portoble S to Profit".	rinkler Pipelinas	MCOA
ALUMINUM COMPANY 2149F Gulf Building, Pitt		1

# THE ORCHARD HOME

Homekeeping hearts are the happiest.

A poem, recipes and experience stories are offered our lady orchardists this month by readers from different parts of the country.

Mrs. Frank Fortman, Dyersville, Iowa, sends along her experience with growing berries.

# GROWING BERRIES

My experience has shown that we can my experience has shown that we can have the most delicious food in the world by having our own berry patches. There is nothing like blueberries for tasty pies and sauces. We plant three varieties for a long fruiting season: The Rancocas for an early worstern the Studies on mideaceans. early variety; the Stanley, a midseason variety; and the Jersey, a late variety, of excellent flavor. In this way we have blueberry muffins throughout the season.

For strawberries, we find the Senator Dunlap the best of all, season after season. This variety will give us more dishes of berries and more crates than any other kind. We find also, that the Dunlap withstands cold and late frosts.

Mrs. Elizabeth Randolph, Tulare, Calif., offers her recipe for fruit jam. She uses any berries which are in scason, and adds that the recipe is excellent in that it preserves all the good fruit flavor.

# BERRY JAM

Wash and mash berries. Cook until the berries will go through a sieve, to take out the seeds. Do not add any water. To each 2 cups juice and pulp, add 3 cups sugar. Place on the stove and let come to the boiling point, but do not boil. Seal.

A recipe for blueberry cake is offered our lady orchardists from Mrs. Emil Lancour, Escanaba, Mich.

# BLUEBERRY CAKE

- 34 cup margarine or butter, softened 132 cups sugar 2 egg whites, unbeaten

- 2½ cups milk 2½ cups flour 3 teaspoons baking powder 1½ teaspoons vanilla
- 1/4 teaspoon salt
- cups blueberries (or substitute chopped peaches, strawberries, raspberries, cherries, or cooked prunes)

11/2 cups whipping cream (or less)

Put all ingredients, except fruit and whipping cream, in a bowl and beat well until smooth. Fold in the blueberries, after they have been washed and dried lightly with a towel. Bake in a large square cake pan at 350° F. for one-half hour. Spread with whipped cream.

This summer many of you will be planning to freeze your fruits and vegetables. Mrs. Anna Shoemaker, Hammonton, N. J., relates her experiences with freezing strawberries.

# FREEZING STRAWBERRIES

It is now possible for us to have fruit and vegetables the year round. I know that freezing does not change the quality of the product, and it is imperative that only the best fruits and vegetables be frozen.

I have found that strawberries must be fully ripe for a good frozen product. Soft, overripe, or green berries are not good for freezing. My experience has shown that sugar is a "must' with strawberries. It not only sweetens them, but it preserves their color and flavor. I slice the berries at least in half, then I sprinkle them with sugar in the proportion of one part sugar to five parts berries, stirring them gently until the sugar is dissolved, after which I spoon them carefully into airtight containers and freeze them at once.

When freezing whole berries, I place them in a container and cover with a 40 or 50 per cent syrup. A heavier syrup should not be used on any fruit since it does not freeze completely and has a tendency to weaken the seal. I find that preparing a few quarts at a time, quickly, is the best method for freezing strawberries.

A favorite recipe with Mrs. A. M. Markwell of Oklahoma City, Okla., is for cherry pudding.

# CHERRY PUDDING

2 tablespoons butter

l cup sugar

1/2 cup milk 1 cup flour

1 teaspoon baking powder

Cream butter and sugar until well mixed (will not be creamy). Sift flour with baking powder. Add flour and milk alternately. Beat hard for a minute or two and pour into a greased baking dish.

On top of this batter put 1 cup cherries heated with ½ cup sugar and ½ cup hot water. Bake in a moderate oven, 350° F., for 30 minutes. Be sure it does not bake too fast. This pudding can be served hot with cream or cold with whipped cream. It is equally good made with berries.


From Miss Elizabeth Baker, Arcanum, Ohio, comes a poem on apple pie, written from true experience. She comments that her brother, when at home, devoured many an apple pie hot from the oven, with milk.


# APPLE PIE

How welcome is the fragrant smell
Of apple pie a-baking.
To hungry men and hungry boys
Their manners quite forsaking.
They want' it hot, right from the
Then in sweet quilk it's sinking.
First thing I know, a' pie is gone,
Their appetites not shrinking.

A hungry man, a hungry boy, Devouring all my baking. First half was gone—now it's all— What punishment it's taking, And then at last, two happy men Look up at me and sigh, "No better treat has any man Than milk and apple pie!"

Do you have any good fruit recipes, interesting orchard experience stories, or a poem that you would like to share with other lady orchardist? If you do, send them to the Orchard Home Editor, American Fruit Grower, 106 Euclid Ave, Wilcuschby, Ohio. Payment will be made upon publication for enything used.







the best-Skinner sprinklers.

Skinner offers you a complete line, uniform coverage, dependability, long life-and over fifty years of engineering "know-how". Skinner sprinklers are ruggedly constructed of precision-made brass, bronze and stainless steel parts-are designed to meet every watering requirement.

THE SKINNER IRRIGATION CO., 181 Canal St., Troy, Ohio

IRRIGATION doesn't cost -IT PAYS!



FREE catalog on complete line sent on request

PIONEER AND LEADER IN IRRIGATION FOR OVER A HALF CENTURY



# From where I sit ... by Joe Marsh

# One For The Book"

Miss Reynolds, our town librarian, really put a smart-aleck motorist in his place last weekhappened right in center of town, corner of Main and Walnut.

Her car stalled, tying up traffic. Most drivers just waited quietly -realizing she couldn't help itbut one fellow kept blaring away on his horn.

So Miss Reynolds gets out of her car, walks over and says sweetly, "I'm afraid I can't start my engine. If you'd like to try, I'll stay here and lean on that horn for you." That stopped him!

From where I sit, a lot of us are sometimes a little overeager to "sound off" before we really understand what it's all about. Let's try to see the other fellow's side in whatever he does-how he votes, what he thinks, whether his preference is for a glass of beer or buttermilk-rather than simply blast out anyone who "gets in the way" of our ideas in these matters.

Goe Marsh

# NEW YOU

# **Pump Facts**

A new pam-phlet which contains valuable data on irrigation pumps has just been issued by the Marlow Pump Company. Pump sizes, from two to six inches; capacities, from 50 to 1,900 gallons; and



gasoline and Diesel power are discussed in understandable and detailed terms. The booklet is available free from Marlow Pump Co., 652 Greenwood Ave., Ridge-

wood, N. I.

# The Irrigation Heart



The pump is the most vital part of any orchard irrigation installation. For over 50 years Barnes pumps have proven themselves in the fruit industry; and the (30M) four-inch Standard Automatic centrifugal pump, illustrated here, will handle most orchard irrigation problems. The Barnes Mfg. Co., 651 N. Main St., Mansfield, Ohio, will be glad to send you their latest free booklet.

# Plastic Irrigation Pipe

Plastic, durable pipe, seven times lighter than steel, is now available to growers. Because of its light weight, resistance to rot, rust, and electrolytic corrosion, Carlon pipe has proven successful in portable orchard irrigation. The pipe is made in sizes from one-fourth inch to two inches, and in 20-foot lengths. Free information

AMERICAN FRUIT GROWER

- IRRIGATION COUPLERS
- . PUMP FACTS

is obtainable by writing C. R. Stowe, Manager, Products Div., Carlon Products Corp., Meech Ave., Cleveland 5, Ohio.

# Controlled Irrigation

A new 35-minute, 16 m.m. full-color and sound motion picture describing all methods of orchard and vegetable irrigation has just been announced. The film, entitled "Modern Controlled Irrigation," is available for group showings, at no charge for American Fruit Grower readers. Merely write Irrigation Div., W. R. Ames Co., Dept. Y, 150 Hooper St., San Francisco 7, Calif., or 3905 East Broadway, Tampa 5, Fla.

# Irrigation Couplers



Fruit grower B. W. Munma, Dayton, Ohio, has had splendid success with Chicago Metal couplers. The coupler is welded to either galvanized or aluminum pipe; and, because of its construction, the joint between two pieces of pipe is flexible. A special rubber-sealing gasket keeps the joint watertight. This coupler can be connected or disconnected rapidly. The Chicago Metals Mfg. Co., 3741 S. Rockwell, Chicago 32, Ill., will be glad to send you their booklet.

# "Pipe Lines to Profit"




"Over 45,000 farmers have received copies of the fourth edition of "Pipe Lines to Profit," a comprehensive booklet on portable sprinkler irrigation. It is designed to give farmers a better

understanding of this method of irrigation—its advantages, uses, cost, and results. Write Aluminum Corp. of America, 2149F Gulf Building, Pittsburgh 19, Pa., for a free copy.

JUNE, 1951







Be sure your system is equipped with IRECO quick-couplings. The "heart" of a profitable system.

Send for Free Literature and name of nearest dealer.

IRRIGATION EQUIPMENT CO., INC.

# SPRAY HOSE



High Pressure Spray Hose, Resistant to Oils, Chomicals, Incesticides and all D.D.T. Sprays.

800 lbs. Working Pressure Each length complete with High Pressure Coupli LENGTHS INSIDE DIAMETERS

\$10.25 19.00 27.75 34.50 24.00 Hose is light and double. Gun

POSTPAID IF CASH WITH ORDER.

AGRICULTURAL RUBBER PRODUCTS CORP. 64 PARK PLACE HEW YORK 7. N. Y.



No hooks-No latche .. portable one-man ROTO-RAIN cuts labor costs, saves water... assures bigger and

better crops. Ideal for row-crops, pastures, orchards. Aluminum or galvanized. Self-locking "ABC" COUPLERS and VALVES for speedy connections and control. Systems engineered to your needs.

# Other AMES Irrigation Systems:

PERF-O-RAIN low pressure sprinkling



for controlled furrow watering

Also SYPHONS for furrows; SURFACE PIPE for flooding: TOW-A-LINE power moves for pastures.

Sax your Ames dealer or send coupon to neurest plant for helpful illustrated falders. Free planning service.



ULR. AMES CO., Days. Y 150 Hooper St., San Francisco, or 3905 E. Breadway, Tampa, Fla.

Send full information on systems checked: Roto-Rain; Perf-O-Rain; Tow-A-Line;

	Gated	Pipe;		Syphons	
Name		-			
Address.					
Town			St	ate	
Crops			Ac	281	

# STATE NEWS

(Continued from page 15)

parties, it looks like a bit of concession on the part of the canners. On the other hand, the growers have come through with a concession of their own.

This looks like a season when it might be possible to market a big volume of fruit. In such years it is difficult to get the entire industry to maintain quality and size stand-ards; yet the California Canning Peach Association has agreed to deliver to the canners during the 1951 season only No. 1 fruit of a minimum size diameter of 2 3/8 inches and no culls.

At the same time the association will continue with its marketing order which carries an advertising program and continued research on new and better varieties and cultural methods to improve the quality of the cling pack.—Jack T. Pickett.

FLORIDA—Limes are now going to mar-ket in volume and the movement will continue all summer.

Practically the entire U. S. crop—now running close to 300,000 boxes (1 3/5 bushels per box) annually-is produced on approximately 5,000 acres in southern Flor-ida. Two varieties are grown—the Key and the Persian. When mature, the Key is comparatively small and light yellow in color. The Persian, which leads in acreage and production, is large and green in color when ripe, a fact growers are endeavoring to get across to the general public in order to step up sales of this variety for hotweather drinks and dishes.

With more than 3,000 acres, Dade County leads in production. And in this county where many lime growers also are avocado growers, co-operative effort has resulted in the organization of the Dade County Avocado-Lime Growers Council to promote the use of the two fruits. President of the council is Robert Ballard; vice president, T. J. Fitzgerald; and secretary-treasurer, Pat Rock.—Clyde Beale, Gainesville.

TEXAS-The Lower Rio Grande Valley lost many more trees in the February freeze tost many more trees in the rebruary freeze than early estimates showed. The success attained by many growers with good acre-age set to Redbiush-type grapefruit argues strongly for replacement of lost acreage on good orchard land. There will be a shortage-of continue stock will be feel to 1052. of planting stock until the fall of 1952. Grower interest centers on red grapefruit with some interest in early oranges of the Jaffa type for resetting.-W. H. Friend, Weslaco.

KENTUCKY-Strawberry crop will start to market about May 16. Prospects are fine for a good productive year as we had no winter injury. Apple prospects look good (May 12). Our peach crop is limited to a few lucky growers in southwestern Kentucky.-W. W. Magill, Sec'y, Lexington.

MISSOURI — Apple bloom is good. Weather has been excellent for pollination. Some fire blight is starting to show up. Peach crop is light. Apple crop is equal to 1949.—W. R. Martis, Sec'y, Columbia.

OHIO - Thomas E. Thornburg, well known grower of Ashland, died April 4. He was the fourth generation to grow fruit commercially on the Thornburg farm. His son and grandson will continue the tradison and granuson will continue the tradi-tion. Mr. Thornburg's grandfather was a friend of Johnny Appleseed who was a frequent visitor on the farm now owned by the Thornburgs.—C. W. Ellenwood, Sec'y, Wooster.

ILLINOIS—Apples are showing a full bloom and the set is expected to be heavy.

## Mobile Orchard Heater

A mobile orchard heating arrangement enabled Walter Rawl to ward off spring frosts in his orchards in Lexington County, South cherds in Lexington County, South Carolina. The arrangement consisted of several old parity rasted 1,000-gallon tasks which Rowl found in a jank yerd. Those he set on sleds hitched ento his tractors. Old automobile tires were used as fuel. The mobility of the setup permitted Rawl to travel back and forth along the windward side of the orchards, and by watching temperatures closely he was able to moye the "heaters" quickly to the danger points.—J. L. Eleaser, Clemson, S. C.

The peach prospect is still "no prospect", except on the odd and early varieties. The expected five per cent Elberta crop is concentrated in the few blocks on highest ground and in the western area.—Harvey B. Hartline, Sec'y, Carbondale.

INDIANA — Low temperatures on November 24 and during the first week of February almost completely wiped out our peach crop. Apple bloom has been heavy and pollination is believed sufficient to set a good crop.—Ray Klackle, Sec'y, West Lafayette.

MICHIGAN-Generally, the fruit picture

is bright.
Minard E. Farley, Sr., prominent grower
and partner of the Farley Brothers Orchards, died April 13, at his home in Albion. Mr. Farley was treasurer of the Michigan Apple Institute and director of the Michigan Mutual Hail Insurance Company. He was a past president of the Michigan State Horticultural Society. Mr. Farley's two sons, Minard E., Jr., of Lansing, and George, of Albion, are secretary-manager of the Michigan State Apple Commission and manager of Inland Orchards, respectively .- Arthur E. Mitchell, East Lansing.

PENNSYLVANIA-Peach prospects are good. Apple bloom is heavy and weather has been ideal for pollination. Normal set would result in a large crop over entire area. -J. U. Ruef, Sec'y, State College.

VIRGINIA -- Contrasted to the short peach crop in 1950, the prospect for 1951 is good. Apple prospects likewise are good. Delicious may be short, and Yorks less than in 1950. Better prospects in other varieties are expected to more than offset this reduction. Very little scab infection this reduction. Very little scab infection thus far .- J. F. Watson, Sec'y, Staunton.

MARYLAND — Peach and apple trees have come through some late trosts with little apparent injury. Bloom was heavy. Delicious apples show spotty prospects. Raspberry and strawberry crops are looking very good both in size and quality.—
A. F. Vierheller, See'y, College Park.

NEW YORK-Peaches, sweet and red tart cherries, and pears were in heavy bloom on May 14. Apples were pink in western New York. Bud looks good but is lighter than last year on McIntosh and Baldwin.

—D. M. Dalrymple, See'y, Lockbort.

NEW JERSEY-No appreciable winter or late spring frost damage has been reported and weather during peak of blossom was favorable for pollination. Peach crop is estimated at 1,500,000 bushels, 300,000 less than last year .- N. J. Dept. of Agr. RHODE ISLAND—Practically no periods have occurred thus far for scab infection. By May 14 most apple growers had applied five to seven sprays—a high figure for this time of year,—D. J. Steere, Sec'y, Kingston.

MASSACHUSETTS—Fruit bloom generally is heavy. Overall frost damage on May 13 in the Nashoba apple district is estimated at about five per cent.—W. R. Cole, Sec'y, Amherst.

CONNECTICUT—Fruit bloom is full to heavy except on Baldwin which produced heavily last year. Pollination weather has been wonderful. First scab infection period with rain occurred on May 11. Weather is favorable for earlier than normal insect emergence and development.—S. P. Hollister, Sec'y, Storrs.

VERMONT—McIntosh orchards in southern counties are in full pink (May 15) with a heavy bloom in prospect. Orchards in the Champlain Valley section are somewhat slower. McIntosh blossom is lighter than last year in western counties, with a much heavier blossom outlook for Delicious, R. I. Greening, and Northern Spy varieties. Scab and insect control has not been difficult so far due to lack of rain.—C. Lyman Calahan, See'y, Burlington.

**DELAWARE**—Peaches and apples have excellent crop prospects.

The Agricultural Substation at Georgetown will have 55 new and standard varieties fruiting this year. The first fruit will be picked about June 25. Fruit growers from the Peninsula and from nearby states are invited to inspect the orchard. The last fruit will be picked about September 10 to 15.—Robert F. Stevens, Newark.

NEW HAMPSHIRE—Prospects are for another good apple crop. McIntosh and Gravenstein bloom is heavy, Baldwin spotted (May 14). Weather has been favorable for scab control.—E. J. Rasmussen, Ext. Hort., Durham.

MAINE—Bloom is full on most apple varieties. Weather is favorable. Could be a bumper crop.—Rockwood N. Berry, Sec'y, Litermore Falls.

**KANSAS**—Prospects are excellent for a fine fruit crop. A good many growers are resorting to hormone thinning.—H. L. Drake, Sec'y, Bethel.

MINNESOTA—Strawberries came through the winter in excellent condition. Crop prospects for apples and most other fruits are good. Apples are not yet in bloom (May 15), the season being at least 10 days later.—J. D. Winter, Sec'y. Mound.

IOWA—Apple prospects are good to excellent. Orchards are in full bloom (May 15). Plenty of soil moisture over most of the state. Some growers will use thinning sprays.—W. H. Collins, Sec'y, Des Moines.

IDAHO—Fruit prospects were reduced by frost. The majority of orchards came through in good shape but many of those in the frost areas were hit very hard. As a result, fair crops of apples, cherries, prunes, and peaches are forecast. Apricots will be scarce. Delicious apples were hard hit.—Anton S. Horn, Sec'y, Boise.

WASHINGTON — Températures of 20 and 22 degrees in mid-April resulted in severe damage in scattered areas to sweet cherries, peaches, and apricots. Prospects for apples, pears, and prunes were also reduced. The Delicious apple crop suffered greater damage than Winesap. The apple crop will be below the large 1950 figure.



# HALE Irrigation Units Will Protect Your Fruit Trees Against Drought

Whether for thirsty orchards or thirsty crops, these HALE Centrifugal Irrigation Pumping Units provide dependable "punk-button" rain. Below you will find listed a Hale Unit to fit your irrigation needs will also be interested in the HALE Centrifugal Orchard Sprayer listed below.

Picture at right shows HALE Type CIR Irrigation Pumping Unit on trailer, pumping from stream, Capacity 1250 U.S.G.P.M.; suitable for Irrigating large orehards.



Type	CIR	1250	U.S.	gallons	per	minute	at	100	Ibn.
Type	CFIR	800	U.S.	gallons	Der	minute	at	100	Ibu.
Type		350	U.S.	gallons	per	minute	at	67	Ibn.
	FZ	150	U.S.	gallons	per	minute	at	50	Ibs.
*Type	ENP	90	U.S.	gallons	per	minute	at	21	Thu.
Type	NP	60	U.S.	gallons	per	minute	fr	e fi	W.C
Type	PNP	90	U.S.	gallons	per	minute	at	21	Ibs.

The PNP is a self-priming pump (not a Unit). Can be driven by gasoline Eng., Electric Motor, or other power source, using belt drive or power take-off. Is pedestal mounted.

All UNITS are available skid or trailer mounted (except the ENP and NP).

"Electrically driven, self-priming. NP is also self-priming."

BALE ORCHARD SPRAYER—100 U.S. gallons per minute at 600 lbs.

 Write today for latest Bulletins on HALE Irrigation Pamping Units. Please state size of area to be irrigated and source of water, It interested in Sprayer, state size of orchard.

HAIF

Irrigation and Sprayer Division-

FIRE PUMP CO.

BUY WISELY—The Coming July Issue of American Fruit Grower is the 17TH ANNUAL DIRECTORY NUMBER





# WATER any field

SAVE CROPS Water any field quickly
At low cost with OK
Champion pipe. Take water from welllake or stream. Save crops—greatly increase
yields. Get bestee grade products. Two men
can move and re-connect ¼ mile OK Champion Pipe in 30 misuses. Quick connecting,
firsible couplings. Send for FREE Circular.

CHAMPION CORPORATION
4731 Shoffield Ava. • Hummond, Ind

OK CHAMPION



TYSON ORCHARD SERVICE
A Complete Line of Orchard Tools
Equipment and Chemicals
FLORA DALE . PA.

# **EQUIPMENT SHORTAGES**

(Continued from page 12)

will be in a position to supply agricultural sprinklers in quantities approximately equal to those supplied last year." On the West Coast, J. M. Kroyer, of Stout Irrigation, Inc., Portland, Ore., states, "If under the Controlled Materials Plan the Department of Agriculture is successful in securing from NPA a satisfactory allotment of aluminum (primarily aluminum tubing) to further the development of sprinkler irrigation, we feel hopeful of maintaining an operation that will produce enough volume to enable us to make our contribution to the expansion of the food production program."

# Long-Range Planning Suggested

Robert Morgan of R. M. Wade & Co., Portland, Ore., says, "From the standpoint of cast aluminum couplers, the oscillating type agricultural sprinklers, pumping equipment and engines, also electric motors, the supply seems to be reasonably adequate to take care of this growing season's demands" In Spokane, Wash., Gordon Hawkins of Rainway Irrigation Co., Inc., told AMERICAN FRUIT Grower the following, "Our company alone could handle four times the quantity of pipe which we are receiving this season, but we haven't had too much trouble supplying the sprinkler heads, pipe couplings, and fittings.

A. W. McCulloch of Irrigation Equipment Co., Eugene, Ore., advises: "I think the directive and DO order that we will probably receive and which will be operated under CMP after July 1, will definitely make it not more than 100 per cent of the use during 1950. At least this is the outlook at the present time and unless more emphasis is placed on fcod production later on, I think we cannot anticipate that this amount will be increased."

In Florida, J. W. Brandstetter, vice president and general manager of Race & Race, Inc., Winter Haven, makes the following observation: "It is our opinion that the procuring of all items necessary for the manufacture and assembly of complete irrigation systems will be easier to obtain under CMP even though the quantities are smaller. If growers could be sold on long-range planning for their irrigation needs, production could be partially maintained."

# Plenty of Pumps

"Fortunately one of the most important units in an irrigation system is easy to obtain. A satisfactory irrigation pump even though made by a limited number of manufacturers, and

# FOR INCREASED PROFITS JOIN OUR AIR CORPS



#ODEL MED. B — Cuts mbs up to 1½" diameter. lequires 4 ca. ft. free air t 175-200 lbs. Available in seatls from 3 ft. us.


KING MANUFACTURING CO.

Farmerly 2

Wandland, California



Spray easily—Spray thoroughly. Spray as drive your tractor—Save money with HAMILTON SWIVEL GUNS



Our HAMILTON BOOMS captoying entirely new principle, deliver flat sprey, (adjustable to any width) and give amazing drive. Pat, Pending.

W. L. HAMILTON & CO.

BENESS, MICH.

Spring year of all figures and processing

# Are You a Nursery Salesman?

Add to your income by selling AMERICAN FRUIT GROWER. It's a logical combination for AMERICAN FRUIT GROWER will help your customers get the best results from the nursery stock you sell them. Make every call pay! This means additional cash for you regardless of whether you sell a nursery-stock order or a subscription to AMERICAN FRUIT GROWER. \*

Write today for our liberal, nursery agents' plan. Address:

GILBERT MEISTER, Circulation Manager
AMERICAN FRUIT GROWER

186 Euclid Ave. Willoughby, Ohio



# PROVIDES MORE WATER OVER LARGER AREAS AT LESS COST!

Featuring the famous Volume Gun which uniformly covers 3.5 acres per setting. Has a single special Hi-pressure, lightweight, aluminum pipe line without valves or branches. A single Volume Gun will cover 100 acres with 2 inches of water every 10 days.

GET THE FACTS! Descriptive folder sent on request. To insure maximum production, propers NOW to irrigate when you would LIKE to have rain . . . not when you MUST

SEE YOUR LOCAL DEALER OR WRITE:

RAINBOW SALES COMPANY

1077 DUNCAH AVENUE

CHATTANOGGA 4, TENNESSEE



- · Choice 3 models: 7, 9, 121/2 H.P.
- · Wisconsin engine; 2 clutches
- · Two speeds forward; reverse
- Full tillage-2-10" deep

Prepares - in one operation - a level, "spongy," moisture holding bed. Pulverserates soil. Chops up-mires fertilizer, cover crop, humus. Powered for perfect work in hardest soils, the Ariens Tiller is America's No. 1 Tiller buy!



in most sizes, can be purchased with little delay," says G. U. Miller of Marlow Pumps, Ridgewood, N.J. "Our supply of pumps will be sufficient to meet any ordinary demands this season. Deliveries on engines are quite extended but we are forecasting our requirements and will be able to obtain engines for this season since they were ordered last year. Other component parts and raw materials are not quite so difficult to obtain and we expect to have a sufficient supply. Unless we have a severe drought this summer or get into an all-out war, it is expected that our supply will be sufficient to meet demands

Another leader in irrigation pumping equipment is in the following fortunate position. Gilmore Hiett of the Gorman-Rupp Co., Mansfield, Ohio. frankly states: "Our supply of pumps for the remainder of 1951 will be 50 per cent greater than in 1950. Today we are in excellent position to ship irrigation pumps." Fred B. Hout of Barnes Mfg. Co., Mansfield, Ohio. also optimistically says, "We will be able to continue to supply the important farm irrigation market even though we may have to scramble for necessary material." Goulds Pumps, Inc., Seneca Falls, N.Y., according to G. W. Cramer, are going along on a fairly good basis with deliveries averaging four to six weeks, depending upon the pump involved.

"Deming pumps are available and in stock, particularly with Wisconsin and Chrysler industrial engines, for immediate delivery," is the encouraging report from L. H. Taylor of the Deming Company, Salem, Ohio. Mr. Taylor states further, "Deep-well turbines are in slightly tighter supply. but Deming will expedite all orders for growers so that the equipment is received in ample time for their irrigation installations.

From the foregoing it is apparent that anyone contemplating irrigation need have no hesitancy in going ahead. At least in the present year there do not appear any formidable obstacles, but delay may mean facing an entirely different situation in a year or so. For further information concerning available materials. AMER-ICAN FRUIT GROWER invites its readers to write the manufacturers who have contributed their experience in solving the irrigation supply problem.

# **NEW BULLETINS**

- Nutrient Deficiencies in Utah Orchards (Bull. 338, 1950) Utah State Agri. Coll., Logan, Utah.
- Roadside Marketing of Fruits and Vegetables (Bull. 418, 1950) Univ. of Conn. Agri. Ext. Service, Storrs,



VI DOC TRESCOTT Says

The grower who packs fruit that reaches the grocer looking as if it was used for butting practice is ruining the fresh fruit market. It costs almost as much to handle roughly, grade poorly and turn out a battered pack as it

loes to be careful in every way so as to send Mrs. Shopper a luscious fruit she cannot resist buying.

"Why kid ourselves! Good looking apples and peaches sell quickly and are easen as soon as the family at home sees them. Poor looking fruit is not eaten and then Mrs. Shopper won't buy again.

"Trescott equipment is improved every year to help bring better fruit to market. Our roller inspection tables turn fruit over and over and show up every blemish, the Trescott brusher does the world's best job in thoroughly but gently cleaning fruit, and our sizing and packing units do their jobs without injuring the most delicate fruit."

Cleaning and sizing units for the smallest grower to the largest packing house-in whatever combination and arrangement the

Write us for information and prices.

to ERESCOTT Company, Inc.

Fairport, New York

# EUDB-BVUE **IRRIGATION SYSTEMS**





# " BUNBORAL

FOR FLEXIBILITY, BUGGEDNESS. QUICK COUPLING, WATER SEAL

Shur-Rane\* is the pioneer method of port-able irrigation. Gouplers and Fistings are designed for dependable, continuous use. Every Shur-Rane system is engineered es-pecially to meet the particular irrigation requirements, most efficiently. (Deliverien now on availability basis).

SEND COUPON FOR NAME OF MEAREST DEALER, SHUZ-RAME IRREGATION SYSTEMS, Dept. H P. O. Box 145, San Jose, California

GENTLEMEN: Please send me complete in-formation on Shur-Rene Irrigation Sys-tems and the name of my nearest dealer. DIAMER.

CITY\_\_\_\_\_STATE

# OPPORTUNITY ADS

Sc. a Word—CASH WITH ORDER. Count each initial and whole number as one ADDRESS AMERICAN FRUIT GROWER, 106 Euclid Ave., Willoughby, Ohio

# AGENTS WANTED

WE WANT SEVERAL AGENTS WHO WOLLD LIKE TO make good money in their spare time. It is easy, pleasant produced by the produced by the sevent pleasant produced by the produced by

RURAL AGENTS. ALL-PURPOSE POWER MOWER \$46.00. Semsation. ROTACUT-FX, Excelutor Springs.

ITALIAN QUEEN BEES \$.75 EACH. W. G. RALEY, Route 4, Montgomery, Alabama,

## CHAINS

CHAINS—TRACTOR. TRUCK, ROAD GRADER, BUS Write for circular, give tire sizes—Frompt shipment HORNER TRACTOR SALES, Geneva, Obio.

## CIDER MILLS

FOR SALE: CIDER PRESSES NEW AND REBUILT, all sizes Farquhar and other makes; Apple Sizers and Apple Butter Equipment. W. G. RUNKLES MA-CHINERY CO., 185 Galiand St., Trentos, New Jersey.

# FOR SALE-EQUIPMENT AND SUPPLIES

HEAN SPHAYER 500 GAL TANK, 35 GAL PUMP, engine mounted. Hean brusher, Oliver '76' tractor, Type A McCornick Tractor, 7 ft, mower, snow plow, Culler grader 12 bins, excellent for box pack, HEREFORD HILLS ORCHARD, Hereford, Pena.

FRIEND AND HARD, Revelord, Penna.
FRIEND ALB BLAST SPRAYER — NEW MACHINE.
Demonstrated at two orchard field days. Complete with
tires and two-way head. List price now \$4,855.00. Our
special on this one unit only, \$2,999.00. McUNE &
COMPANY, 3721 Mahoning Avenue, Youngstown, Ohlo. BEAN SPRAYER—NEW 58-T, 500 TANK, 35 PUMP Continental engine with electric starter. Demonstrates once using clear water. Has 13 Gun Low-Boy mand. Bar-gain at \$1975. Write or wire MORRIBSEV FARM EQUIP-MENT CO., Comstock Park, Michigan.

FOR SALE-5,000 USED BEER CASES @ 15c EACH, F.O.B. PEOBLA PLANING MILL COMPANY, Peorla

MIDSEARON SPECIAL: Model 68 T John Bean Orchard Sprayer, 660 gallon steel tank, 55 GPM pump, 6 Cyl. Conlinenta Engine. 11 32 x48 8 pt gives, used only 1½ seasons. Perfect Condition. Available with 8 Gun Low Boy mast or Aquaşte hoom. Gusranteed and offered for sale by J. M. SNYDER & Sen, Nefs. Penna. Phone Stalington SPI.

SPRATERE—4 BEAN HIGH PRESSURE ORCHARD with 55 s.p.m. Royal pumps, skid mounted with 560 gal. tanks, All in good condition and reasonably priced for quick cale. In addition we have power units and Case orchard tractor on rubber, Hydraultic cides press 54 z.8. TREXILER ORCHARDS, Orcfeld, Penna., located on Route 500 gabut 8 miles north of Allerdown

RUFFALO TURBINE MIST CONCENTRATE SPRAYER ies than 50 hours, 8635, 60 My Res 1800 My Res 18

pomp. 3 cylinder, NOVO Engine, remuer, ransum-tires, house hitch and tractor hitch, used one season, \$750.00.

ROOT ZA DUSTING UNIT, with heavy duty air ceoled engine 4.55 HP, 169 fb. dust hopper. Bild model, Ware-house stock model never used, grice \$375.00 D. R. VAN ATTA BEED CO., Cincinnati 25, Ohlo.

WOOD'S CUTTER, IDEAL FOR ORCHARDS AND Vinegards, Pree Folder, WAYNE, WYANT, Representa-tive, 122 Sheridan Square, Pittsburgh 6, Ponna

## HORSE TRAINING

"HOW TO BREAK AND TRAIN HORSES"—A BOOK every farmer and berseman should have. It is free; no obligation. Simply address BEERY SCHOOL OF HORSEMANSHIP, Dept. 1386, Pleasant Hill, Ohio.

# MISCELLANEOUS

LADIES FACTORY DAMAGED NYLONS—32.56 AND 38.56 doten pairs! Trial assortment—15 pairs 83.86! All orders piled in rotation—45 ratz come, first served! Confidential wholerale price schedule included with every order. Buy your hosley direct and make incredulous savings!! CONNELLY HOSERY CO., Box 284, Lynn 76, Mass.

MAKE MONEY ADDRESSING ENVELOPES. OUR instructions reveal how. PAUL GLENWAY, 5713 Encitd, Cleveland E. Ohio.

LEARN AUCTIONEERING AT HOME OR IN CLASSES, FREE Catalogue. Term Soon. Diploma Granted. Satisfac-tion guaranteed. NELSON AUCTION COLLEGE, Res-ville, Minnesota.

THE MINNESOTS.

DO YOU SHILL FRIITS BY MAIL! TERRIFF! KK.
cuttive and professional list of names available. Good for mail order. WHITE for further information and price. REGINA SERVICE. 847 Lexington Avenue. Brooklyn 21. New York Mr. John O. Webb.

## ORCHARDS FOR SALE

120 ACRES OF GOLDEN DELICIOUS, JONATHAN and Jenared Less than half in production. This year's crops over 20,900 but, All equipment in mechanery and buildings for complete operation. Price \$50,000 with \$15,000 down and balance over 7 years to right party. WRITE AMERICAN FRUIT GROWER, BOX 120, Willoughby, Ohlo.

FOR SALE ACCOUNT OF AGE AND ILLANESS. SO FOR SALE ACCOUNT OF AGE AND ILLANESS. SO SO SHAPE ACCOUNT OF AGE AND ILLANESS. SO SO SHAPE ACCOUNTS OF AGE AND ILLANESS. SO COLOR OF AGE ACCOUNTS OF AGE ACCOUNTS AGE ACCOUNTS AGE FOR AGE ACCOUNTS OF AGE ACCOUNTS AGE ACCOUNTS AGE ACCOUNTS AGE FOR AGE ACCOUNTS ACCOUNTS AGE ACCOUNTS ACC

# POULTRY

GEESE, GOSLINGS, GUINKAS, BANTAMS, PREAS-ants, Ducklings, Free circular, ALBERTUS KNOLL, R. t F.G., Holland, Michigan,

# SUBSCRIPTIONS

TO EXPEDITE THE HANDLING OF SUBSCRIPTIONS from the Grand Randids area, AMERICAN PRIUT GROW-seed your new and reserved order to: MR. HENRY J. DUTMERS, 2219 East Blaine Avenue, S.E., Grand Randids, J. Michigan. Phone-evenings—Grand Randids, American Grand Canada.

## TRADE MARKS

NATIONAL TRADE MARK COMPANY, MUNSEY Building, Washington, D.C.

## WANTED TO BUY

WANTED-UNIMPROVED PARM-RATHER CHEAP. HERBERT AYER, R-1, Newtown. Ohio.

# CALENDAR OF COMING MEETINGS AND EXHIBITS

June 13-15—National Apple Institute, Sheraton Hotel, St. Louis, Mo.—Truman Nold, Exec. Sec'y, 736 Jackson Place, N.W., Washington 6, D.C.

June 14-16—First annual Cape Cod Straw-berry Festival, Falmouth, Mass. A strawberry queen is to be selected.—John R. Peterson, chairman, Festival Committee, Falmouth, Mass.

June 18—New York & New England Apple Institute meeting in co-operation with Connecticut Pomological Society, Orkill Farm, West Simsbury, Conn.—S. P. Hollister, Sec'y, Pom. Soc., Storra.

June 18-23—Emmett, Idaho, Cherry Featival. Queen to be crowned.—Anton S. Horn, Sec'y, Hort. Society, Boise.

nurt. Society, Boile.

June 27-28—Louisiana Fruit Growers Association first annual peach festival, Ruston.—

Turney Hernandes, Program Chairman, Ruston.

July 12-13—National Cherry Festival, Traverse City, Mich.—A. E. Mitchell, Dept. of Hort.,

East Lansling, Mich.

Lansing, mich. July 19.—Massachusetta Fruit Growers Association summer meeting, View North Orchard of G. S. Gay, association president, Palmer.—W. R. Cole, Sec'y, Amherst.

July 20-Oregon State Horticultural Society eld Day, Medford .- C. O. Rawlings, Sec'y,

Field Day, Medford.—C. U. Kawings, Secy, July 25-26—Pennsylvania State Horticultural Association summer meeting, 28th, Arendta-ville, Adams County; tour, 26th, Franklin County, orbards of Bream and Hebe, S. A. Heisey & Sona, and Gillam Bros.—J. U. Ruef, Secy, State College.

July 27-29—Hopkins, Minn., Annual Rasp-berry Festival. Queen to he crowned.—Lee Mc-Naily, Chairman, Hopkins.

Aug. 1—Indiana Horticultural Society sum-ner meeting and orchard tour, Johnson Or-hards, Mooresville.—Ray Klackle, Sec'y, West

Aug. 6-7.—South Dakota State Horticultural Society annual meeting, Yankton, with H. N. Dybvig, President, presiding.—W. A. Simmons, Sec'y, Sioux Falls, S. D.

Aug. 12-15—International Apple Association annual convention, Hotel Statler, New York City.—Samuel Fraser, See'y, 154 East Ave., Rochester 4, N. Y.

socnester 4, N. Y.

Aug. 18—Orehard Day, Ohlo Experiment Station, Wooster, Ohlo.—C. W. Ellenwood, See'y, Hort. Society, Wooster.

Aug. 28–28—Northern Nut Growers Association (43nd annual meeting, Illini Union Bidg., Aug. 36–38.—J. C. McDaniel, See'y, Hort. Field Lab., Urbana, Ill.



"Cows kept fallin' outa the pasture, so we got Power-Curve tires and farmed it."

You can be sure of a firm footing in any field with B. F. Goodrich Power-Curve tires. Each cleat has an arrowhead nose that grips the soil, holds even in mud. You get full traction in reverse as well as forward because Power-Curve cleats are evenly spaced from center to shoulder. They're rigid to bite deeper, yet the tire is flexible enough to throw dirt free as the tire rolls.

This flexibility, plus the BFG open center tread, keeps the tire clean - clean for better pulling! And because Power-Curve clears are king size - actually higher in the center than those of the two other leading makes—they'll give you long, trouble-free wear. Compare first—then for replacement you'll choose Power-Curve. Made by B. F. Goodrich, First in Rubber.

An advertisement of The B. F. Goodrich Company, Akron, Obio



For Irrigation Pipe

One man operation - No tools required
 Basiest, fastest, most efficient system
 on the market today!

Insist on McDowell The Original Streamlined Coupling

Write for details, name of n

McDowell Manufacturing Co.

# GRADE-CLEAN-HANDLE with DURAND ROVEN PRODUCTS

• The Durand two roller combination grader and brusher takes the high labor cost out of handling fruit in the packing shed. Auto-matic operation of the new unit means higher profits and a better pack. Designed to effi-ciently operate with offse equipment or in-dependently, the sturdy Durand combination is the last word in packing house equipment.



# HOME ORCHARD SPECIAL Strong, high quality

\$1.29 each - 10 for \$9.98 Tour shelow, apple, peach, pear, plum, prome, autoc chery, Write now for a free copy of our entalogue listing a complete line of mercey select.

CHAMPION NURSERIES 150 Mede 54.

Perry, Obio

HUNT'S GRAFTING WAXES, RODENT REPELLENT, ETC. MICHIGAN BEE & FARM SUPPLY GEDAN GEDAN MICH. "Successor to M. N. HUNT & SON"

# **BOOKS FOR YOUR** REFERENCE LIBRARY

THE PRUNING BOOK,
by Gustave L. Wittrock
theti-linestrabed and easy-to-follow guide for
truning fruit trees and ornamentals, 172
pages, litestrates.

IRRIGATED SOILS: Their Fertility and Management, by D. W. Thorne and H. S. Peterson \$5.00 An excellent reference book for trust growers who irrigate or plan to do so. 286 pages, 76 illustrations.

PRUT SCIENCE,
by Norman F. Childers.

A well-written and profusely illustrated beak
a well-written and profusely illustrated beak
every phase of fruit growing from planting to
marketing, an excellent reference beak for all
fruit growners. 430 pages.

AMERICAN FRUIT GROWER

# APPLE TREE BORER

(Continued from page 15)

body just behind the head. They are about an inch to an inch and one-half in length

an inch to an inch and cae-half in length whee fully grown.

This borer spends the winter in the larve or borer stage in the wood of the tree. For the most part there are two sizes of borers present in the southern portion of the infested area and three sizes in the northern portion, the smaller ones being from eggs laid that seson and the larger ones those that will complete development and emerge as adults the next season. The middle-sized borers in the north have enother season to feed before reaching method;

north have another season to feed before reaching maturity.

In the spring, after spending from two weeks to a month in the pupal stage, the two-or three-year-old borers, as the case may be, emerge as brown and white cylindrical adult bestles. On the back are two white stripes which extend from the head to the posterior end. The legs, head, and underside of the body are also white. These adults crawl over and set the foliage from June to about September. During this time the females lay their eggs in the bark of the trusk of apple frees. eggs in the bark of the trunk of apple trees. They may be placed from just below the ground to 18 to 20 inches above ground.

Iney may be placed from just below the ground to 18 to 20 inches above ground. Within two or three weeks after they are laid, the agps batch into the tiny borers which first feed on the inner bark. As they grow older they work into the woody part of the tree. It usually requires two to three years for the insact to complete its life cycle.

Control. Roundheeded apple tree borers can be controlled to some extent by spraying, by injecting chemicals into the borer tunnel, or by worming. Though seldom a serious pert, this insact if allowed to multiply unchecked in an orchard can do great damage. The regular spray schedule may control this pest; if not, apply lead arsenate, three pounds per 100 gelloms, about three weeks later. Heavy DDT sprays with a sticker are being tested in Illinois and elsewhere, to control the borer. The safest effective materials for injection into the borer burrows include 1] a misture

The safest effective materials for injection into the borer burrows include 1) a mixture of paradichlorobenzene and carbon disulfide (one gram to one cc), 2) dichloroethyl ether, 3) as alcoholic extract of pyrethrum (containing 1.5 to 2.5 per cent of pyrethrins, and 4) a 1.5 per cent extract of rotenone. The last two materials may be used alone or diluted one part to four parts of 95 per cent alcohol. Plug the holes with putty after injecting the chemical.

In late August or September the borers can be removed by hand. This is accomplished by using a knife point for the shallow borers and a flexible wire to get those deep in the wood. Wrapping trunks of trees to a height of it inches with stout paper in early June is also recommended where infestations are heavy.



"If you yell, 'There she blows,' again, I'll have you fired!"



- **BUD SELECTION**
- TRUE-TO-NAME VARIETIES
- PROVED and PROFITABLE

The Greening Nursery Company, one of the leaders in bud selection, have for over 100 years given all growers the benefit of their research and improved strains which mean greater orchard profits.

# **AGENTS**

Earn extra money, full or part time. It's pleasant and profitable to sell Greening nursery stock. Write us today for all of the details.



Send 10c to cover post-age for the Greening 100 - year anniversary 50-page color catalog.

THE GREENING NURSERY CO.



Send for your capy of SIMS big 1951 catalogue today, All SIMS trees are ORCHARD TESTED insuring users the vary best in variety

SIMS NURSERIES, Hannibal 2, Mo.





# Artificial Soft Drinks Vs. Natural Fruit Juices

DIETITIANS, nutritionists, and health authorities generally are alarmed about the startling increase in sugar consumption which, strangely, is paralleled by the rapid expansion of the soft drink business. About 10 per cent of these drinks is sugar, and in a popular brand each six-ounce bottle actually contains three and one-half teaspoons of sugar. It is no wonder, therefore, that two million tons or one-fourth of our entire sugar requirements are used by the soft beverage industry.

Sugar is a vital ingredient in soft

drinks; yet this terrific carbohydrate is entirely lacking in either vitamins or minerals, of which we find such an abundance in sweet, pure fruit juices. With such advantages in favor of fruit, it becomes increasingly plain that any preference for a soft drink is due to its sweetened content and that sugar is the insidious rival of natural fruit juices. The sugar habit is easy to acquire and flourishes until tooth decay and such degenerative diseases as diabetes and heart disease demand a return to a more healthful diet, the basis of which is fruit.

# Water Problems Are Surging Ahead

AS ONE PROBLEM is met and conquered, another takes its place. A hundred years ago the variety problem was paramount. Then came matters of culture. Pollination and fruit set appeared at the turn of the century, followed by cultivation versus sod, cover crops and fertilizers, also pruning.

Soon came the more technical and refined treatment of orchard problems, in which the scientific method, the laboratory, and the detailed controlled experiment dominated.

Distant shipments brought studies of maturity, harvesting, handling, storage, and ripening. These in turn gave ground to standardization, marketing, economic studies, and conservation practices.

Today another phase asserts itself—perhaps more quietly and less spectacularly than some of the others, but nonetheless important. And this phase is WATER—its conservation and use.

Of course, the great irrigated areas of the world have long appreciated water. But other areas that depend upon rainfall could do nothing but hope and pray. Now all this is changed. Portable pipe, cheaper power, and improved pumps and power plants have done it. The great non-irrigated sections are beginning to see what supplemental irrigation can do. Much of the hazard of drought is removed. Small fruits be-

come dependable crops. Problems of poor size and color, uncertain response to fertilizers, irrigation cropping, and poor quality are being solved.

The field is open for much study and improvement; but fruit growing will never be the same as before midcentury. Water is doing it.

# Fruit Situation at a Glance

PRO	DITSUGO	194	
	Average 1939-48	1949	USDA May 1, Est 1951
_	TI	housand !	Bexes
Oranges Calif., all Naveis & Misc. Valencias Florida, all Early & Mid-	48,453 18,462 29,991 42,780	41,960 15,630 26,230 56,500	44,800 14,500 30,300 62,300
season Valencias Other States Total Early &	23,250 19,530 4,837	33,000 24,900 3,105	35,300 47,000 4,450
Midseason Total Valencies Tangerines Grapefruit	44,720 51,351 3,630	51,295 52,170 5,000	\$2,550 59,000 4,600
Florida Texas Other States Lomens	26,450 18,187 6,005 13,055	6,400	7,500
COLD STO	Mar. 31,	Apr. 30	T.
Apples, Fresh, Total Pears, Fresh, Total		12,891 320	6,883

# Fruit Talk

According to "USDA" the American people spend about six billion dollars annually for packaging the things they buy. In monetary terms, packaging is a greater industry than steel.

In appreciation of a distinguished son, Michigan State College has amounced the establishment of a "Liberty Hyde Bailey Distinguished Professorahip in Horticulture." The chair is to be endowed and will recognize the broad and inclusive aspects of horticulture.

Dr. Earl Savage of the Georgia Experiment Station reported at the St. Louis meeting of the American Pomological Society that four big changes in the Georgia peach situation were: 1) Heavy reduction of commercial trees. 2) Southward movement of the industry within the state. 3) Shift towards early, yellow-fleshed varieties. 4) Exceptional control of insects and diseases with new spray materials—"one and one-half pounds of 15 per cent parathion take care of almost everything!"

D. Martin and W. M. Carne of Australia have just announced that they can find no direct effect of boron on the control of bitter pit in apples. (Bitter pit must not be confused with internal corking, which is controlled by boron.) However, they find an indirect effect as follows: Bitter pit is associated with large size of fruit. Excess boron reduces both tree growth and fruit size and so may apparently reduce bitter pit. They suggest that the same effect can be produced by other salts, such as potassium phosphate, or other treatments that will reduce the size of fruits.

Monroe, a recent introduction of the New York Experiment Station, Geneva, is a cross of Jonathan and Rome Beauty. It is recommended for trial because of its high red color and good size, and because it has some of the desirable characters of Baldwin but is much better in quality. . J. C. McDaniel in "Fruit Varieties" suggests Lodi as a probable replacement for Yellow Transparent—fruit larger, more uniform, tree less inclined to bi-ennial bearing, longer commercial life expectancy.

A. N. Pratt, state horticulturist of Tennessee, isn't referring to gold when he uses the term "panning"—he has reference to strawberries: "The pan is a single piece of heavy tin or light galvanized iron about the size of a sheet of typewriter paper, with a three-fourths to one-inch flange on one end and two sides. The pan tapers to the open end which is slightly narrower than the side of a one-quart till. Some pans have a hole cut in a corner of the bottom through which the operator thrusts his thumb, holding the pan as an artist does his pallette. The operator can toss out a quart of field-run berries gently into an even spread on the pan and, as the berries are run back into the till, pick out any defective berries or trash."

# Coming Next Month

- · "We Make Our Own Repairs"
- · Model Plans for an Orchard Workshop
- What Is a DO?
- Don't Fall for an Accident
- The New Apple Grades
- New Laborsaving Equipment
   Buyer's Guide for the Fruit Farm



# Spray ARAMITE-15W Spray PHYGON-XL

the mighty mite killer

# CONTROLS ...

European Red Mite, Pacific Mite, Two-Spotted Mite, Clover Mite and most other mites more effectively than other commercially available insecticides at economical dosages.

# RESULT ...

More top quality apples, peaches, almonds and walnuts

# ADVANTAGES ...

Non-hazardous, relatively low in cost, easy-to-handle, compatible with most commonly used insecticides and fungicides, and harmless to natural predators.

> Consult your local experiment station for recommended dosages and spray schedules plus customary safety measures.

the effective fungicide

# CONTROLS ...

Apple Scab, Bitter Rot of Apples, California Blight of Peaches, Peach Brown Rot Blossom Blight, Peach Leaf Curl, Cherry Leaf Spot and Cherry Brown Rot Blossom Blight.

Increased quality and quantity of apple, peach and cherry yield.

Combines highly fungicidal properties with ease of application, minimum dosage requirements, low comparative cost, high compatibility, and almost total absence of visible residue.

\*U.S. Pat. No. 2,529,494 \*\*U.S. Pat. No. 2,349,772

## UNITED STATES RUBBER COMPANY

NAUGATUCK CHEMICAL DIVISION, NAUGATUCK, CONNECTICUT

manufacturers of seed protectants—Spergon, Spergon-SL, Spergon-DDT-SL, Phygon Seed Protectant, Phygon Paste, Phygon-XL-DDT—fungicides—Spergon Wettable, Phygon-XL—insecticides—Synklor-48-E, Synklor-50-W—fungicide-insecticides—Spergon Gladiolus Dust, Phygon Rose Dust—mite killers—Aramite.



USE Orchard\* Brand
FERBAM
for DISEASE CONTROL

on apples, cherries, pears, peaches, grapes.

ORCHARD BRAND SPRAYS I DUSTE "SURE DEATH" for worms, mites and aphids—that's what using GENITOX DDT and GENITHION Parathion can mean. Convince yourself, the way other growers have . . . in their own "proving ground"! They found that this powerful combination of Orchard\* Brand spray materials gives maximum protection to fruit and foliage—pays off in more "money fruit" at picking time.

GENITOX DDT and GENITHION Parathion are the result of

GENITOX DDT and GENITHION Parathion are the result of sound research and thorough field testing—backed by over 40 years' experience in making insecticides and fungicides! They mix completely in hard or soft water without excessive foaming, and stay suspended in the agitated spray mixture. They give uniform, closely-knit spray covers with minimum run-off in the spray drip.

Yes, GENITOX DDT and GENITHION Parathion are "built" to do the job you wast and seed for real spray protection. So be sure—use the best—get these Orchard Brand DDT and Parathion spray powders from your dealer today.

# GENERAL CHEMICAL DIVISION

ALLIED CHEMICAL & DYE CORPORATION

40 Rector Street, New York 6, N. Y.

Offices in Principal Agricultural Centers from Coast to Coast